上海亿诺焊接科技股份有限公司
地 址:上海市松江区车墩镇车阳路116号8号楼
电 话:+86(021)54883220,34305197
传 真:+86(021)54883224
网 址:www.innoteccn.com
2024年8月制　　亿诺第六版

Shanghai Innotec Welding Technology Co.,LTD.
Add:8th No.116 Cheyang Road,Songjiang District Shanghai
Tel:+86 (021) 54883220,34305197
Fax:+86 (021) 54883224
Web:www.innoteccn.com
Produced in August 2024, the sixth edition of Innoteccn



产品目录 CATALOGUE
PRODUCTS



COMPANY INTRODUCTION

亿诺简介

上海亿诺焊接科技股份有限公司是一家专业提供高品质的MIG、TIG、PLASMA焊割炬、机器人焊枪、环保焊枪及设备，是集研发、生产和销售的专业焊割制造商及方案服务商。

公司成立于2006年，占地近30000平方，拥有各类机床300多台，其中200多台数控走心机和多台高精度加工中心，20多位专业焊接工程师，在2015年引进自动化生产线，并采用阿米巴管理模式，目前年生产能力已经达到250万把，亿诺出厂的每一把产品都会经过10多道专业检测以符合CCC和CE标准，保证产品质量。

亿诺每年投入大量资金用于技术研发。目前我们已经申请了100多项专利。焊割产品研发能力在中国焊接领域一直处于领先地位。

我们将坚持创新，同我们的商业伙伴携手共创价值。

Shanghai Innotec Welding Technology Co., Ltd. is a professional manufacturer and service provider specializing in research, production, and sales of MIG, TIG, Plasma welding and cutting torches, robotic guns, fume-extraction torches and machines.

Established in 2006, with an area coverage of 30,000 m², Innotec now has over 300 machine tools, including more than 200 numerical control lathes, and several high precision machining centers and over 20 specialized welding engineers. Introduction of automatic production lines of 2015 and adoption of an Amoeba management model enable us to reach a yearly production capacity of 2,500,000 pcs. Every piece of torch must pass over 10 testing processes to meet CCC and CE compliance and ensure the high quality.

Innotec invests 20% of its profits in research and development every year. Currently, we have applied for 100 utility patents. innotec maintains a leading position in research and development capabilities in the chinese welding sector.

We focus on innovating and creating valve together with our business partners.











CERTIFICATES

企业资质





The articles stated in the present catalogue are subject to modifications or substitution without prior notice. The brand names and trademarks listed under in this catalogue are the registered trademarks of the proper owner and remain exclusive property of the respective owners.

The parts shown in this catalogues are not genuine parts of the respective trademark, they are interchangeable parts made to fit the original equipment. All the Reference codes are only for a convenient research.

本样本所涉及的产品可以由本公司进行修改或替换，本文中所涉及的下列品牌和商标是属于各注册人的专有财产。
本样本中所涉及的产品并非原厂产品，而是适合原厂产品的可换配件，所有的参照号码仅用于方便搜索。

WELDCRAFT®=WDCT

RoHS CE ISO 9001:2015 QUALITY MANAGEMENT SYSTEM CERTIFIED **EN 60974-7**

CONTENTS

目录

TIG TORCHES
氩弧焊枪

TIG TORCH 9.....1
TIG 9 焊枪

TIG TORCH 17.....3
TIG 17 焊枪

TIG TORCH 18.....5
TIG 18 焊枪

TIG TORCH 20.....7
TIG 20 焊枪

TIG TORCH 24.....9
TIG 24 焊枪

TIG TORCH 24W 10
TIG 24W 焊枪

TIG TORCH 25.....11
TIG 25 焊枪

TIG TORCH 26.....12
TIG 26 焊枪

TIG TORCH 150.....14
TIG 150 焊枪

送丝枪TIG 9-17-18-20-26 15
Wire-Feeding Torch TIG 9-17-18-20-26

TIG小枪 17
MIRCO TIG

WELD CLEANING TORCH.....18
焊道清洗枪

TIG SUPER TORCH 17S-26S 19
TIG 17S-26S 焊枪

TIG MODULAR TORCH.....21
模块化焊枪

TIG TORCH 450W 22
TIG 450W 焊枪

TIG TORCH 12.....22
TIG 12 焊枪

SPARE PARTS
配件

CONSUMABLES TIG 9-20-24-25.....23
TIG 9-20-24-25 易损件

CONSUMABLES TIG 17-18-26.....25
TIG 17-18-26 易损件

CONSUMABLES TIG 17-18-26.....27
TRANSPARENT ACCESSORIES/
LARGE DIAMRTER GASLENS
TIG 17-18-26 易损件

CONSUMABLES TIG 12.....29
TIG 12 易损件

CONSUMABLES TIG 22.....31
TIG 22 易损件

CONSUMABLES TIG 27.....33
TIG 27 易损件

AIR COOLING CABLES.....35
气冷电缆组

WATER COOLING CABLES.....37
水冷电缆组

CABLES 38
电缆

PLUGS & FITTINGS 39
接头

TORCH HANDLES.....41
手柄

TORCH HEAD.....43
枪头

TUNGSTEN ELECTRODES 44
钨棒

* USA TYPE TORCHES AND SUPER FLEX SILICON RUBBER CABLE ARE AVAILABLE UPON REQUEST

TIG TORCH 9

EN 60974-7



Epdm



M12×1



3/8G



Epdm



5/8" 18 UNF R

Technical data

Cooling: Gas Cooled

Duty35%DC: 110AMP

Duty35%AC: 95AMP

Electrode Size: 0.5~1.6mm

技术参数

冷却方式：气冷

直流35%暂载率：110AMP

交流35%暂载率：95AMP

电极尺寸：0.5~1.6mm

Complete torch-EURO

Code	Description	Pack
IOH6306-36	Torch SinTIG 9F 8m M12x1; 焊枪/单开关/TIG9F/8m M12x1	1
IOH6906-36	Torch SinTIG 9F 4m M12x1; 焊枪/单开关/TIG9F/4m M12x1	1
IOH7306-36	Torch DubTIG 9F 8m M12x1; 焊枪/双开关/TIG9F/8m M12x1	1
IOH7906-36	Torch DubTIG 9F 4m M12x1; 焊枪/双开关/TIG9F/4m M12x1	1
IOT6306-36	Torch SinTIG 9 8m M12x1; 焊枪/单开关/TIG 9/8m M12x1	1
IOT6906-36	Torch SinTIG 9 4m M12x1; 焊枪/单开关/TIG 9/4m M12x1	1
IOT7306-36	Torch DubTIG 9 8m M12x1; 焊枪/双开关/TIG 9/8m M12x1	1
IOT7906-36	Torch DubTIG 9 4m M12x1; 焊枪/双开关/TIG 9/4m M12x1	1

Complete torch-UK

Code	Description	Pack
IOH6307-36	Torch SinTIG 9F 8m 3/8G; 焊枪/单开关/TIG9F/8m 3/8G	1
IOH6907-36	Torch SinTIG 9F 4m 3/8G; 焊枪/单开关/TIG9F/4m 3/8G	1
IOH7307-36	Torch DubTIG 9F 8m 3/8G; 焊枪/双开关/TIG9F/8m 3/8G	1
IOH7907-36	Torch DubTIG 9F 4m 3/8G; 焊枪/双开关/TIG9F/4m 3/8G	1
IOT6307-36	Torch SinTIG 9 8m 3/8G; 焊枪/单开关/TIG 9/8m 3/8G	1
IOT6907-36	Torch SinTIG 9 4m 3/8G; 焊枪/单开关/TIG 9/4m 3/8G	1
IOT7307-36	Torch DubTIG 9 8m 3/8G; 焊枪/双开关/TIG 9/8m 3/8G	1
IOT7907-36	Torch DubTIG 9 4m 3/8G; 焊枪/双开关/TIG 9/4m 3/8G	1

Complete torch-USA

Code	Description	Pack
IOH6372-36	Torch SinTIG 9F 8m 5/8-18UNF; 焊枪/单开关/TIG9F/8m 5/8-18UNF	1
IOH6972-36	Torch SinTIG 9F 4m 5/8-18UNF; 焊枪/单开关/TIG9F/4m 5/8-18UNF	1
IOH7372-36	Torch DubTIG 9F 8m 5/8-18UNF; 焊枪/双开关/TIG9F/8m 5/8-18UNF	1
IOH7972-36	Torch DubTIG 9F 4m 5/8-18UNF; 焊枪/双开关/TIG9F/4m 5/8-18UNF	1
IOT6372-36	Torch SinTIG 9 8m 5/8-18UNF; 焊枪/单开关/TIG 9/8m 5/8-18UNF	1
IOT6972-36	Torch SinTIG 9 4m 5/8-18UNF; 焊枪/单开关/TIG 9/4m 5/8-18UNF	1
IOT7372-36	Torch DubTIG 9 8m 5/8-18UNF; 焊枪/双开关/TIG 9/8m 5/8-18UNF	1
IOT7972-36	Torch DubTIG 9 4m 5/8-18UNF; 焊枪/双开关/TIG 9/4m 5/8-18UNF	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG TORCH 9

EN 60974-7



Leather



Leather



M12×1

Complete torch-EURO

Code	Description	Pack
IOH7106-36	Torch four switches TIG 9F 4m M12×1/leather; 焊枪/四开关/TIG9F/4m M12×1/皮护套	1
IOH7406-36	Torch DubTIG 9F 8m M12×1/leather; 焊枪/双开关/TIG9F/8m M12×1/皮护套	1
IOH7506-36	Torch DubTIG 9F 4m M12×1/leather; 焊枪/双开关/TIG9F/4m M12×1/皮护套	1
IOH8006-36	Torch four switches TIG 9F 8m M12×1/leather; 焊枪/四开关/TIG9F/8m M12×1/皮护套	1
IOT7106-36	Torch four switches TIG 9 4m M12×1/leather; 焊枪/四开关/TIG9/4m M12×1/皮护套	1
IOT7406-36	Torch DubTIG 9 8m M12×1/leather; 焊枪/双开关/TIG9/8m M12×1/皮护套	1
IOT7506-36	Torch four switches TIG 9 4m M12×1/leather; 焊枪/四开关/TIG9/4m M12×1/皮护套	1
IOT8006-36	Torch four switches TIG 9 8m M12×1/leather; 焊枪/四开关/TIG9/8m M12×1/皮护套	1



Epdm




M12×1

Complete torch-EURO

Code	Description	Pack
IOS9306-00	Torch TIG 9V 8m M12×1; 焊枪/TIG9V/8m M12×1	1
IOS9906-00	Torch TIG 9V 4m M12×1; 焊枪/TIG9V/4m M12×1	1
IOU9306-00	Torch Auto TIG 9 8m M12×1; 自动焊枪/TIG9/8m M12×1	1
IOU9906-00	Torch Auto TIG 9 4m M12×1; 自动焊枪/TIG9/4m M12×1	1



Epdm



3/8G

Complete torch-UK

Code	Description	Pack
IOS9307-00	Torch TIG 9V 8m 3/8G; 焊枪/TIG9V/8m 3/8G	1
IOS9907-00	Torch TIG 9V 4m 3/8G; 焊枪/TIG9V/4m 3/8G	1
IOU9307-00	Torch Auto TIG 9 8m 3/8G; 自动焊枪/TIG9/8m 3/8G	1
IOU9906-00	Torch Auto TIG 9 4m 3/8G; 自动焊枪/TIG9/4m 3/8G	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG TORCH 17

EN 60974-7



Epdm



M12x1

Complete torch-EURO

Code	Description	Pack
IOI6306-36	Torch sintig 17F 8m M12x1 焊枪/单开关/TIG17FX/8m/M12x1	1
IOI6906-36	Torch sintig 17F 4m M12x1 焊枪/单开关/TIG17FX/4m/M12x1	1
IOI7306-36	Torch dubtig 17F 8m M12x1 焊枪/双开关/TIG17FX/8m/M12x1	1
IOI7906-36	Torch dubtig 17F 4m M12x1 焊枪/双开关/TIG17FX/4m/M12x1	1
IOZ6306-36	Torch sintig 17 8m M12x1 焊枪/单开关/TIG17/8m/M12x1	1
IOZ6906-36	Torch sintig 17 4m M12x1 焊枪/单开关/TIG17/4m/M12x1	1
IOZ7306-36	Torch dubtig 17 8m M12x1 焊枪/双开关/TIG17/8m/M12x1	1
IOZ7906-36	Torch dubtig 17 4m M12x1 焊枪/双开关/TIG17/4m/M12x1	1

Technical data

Cooling: Gas Cooled

Duty35%DC: 140AMP

Duty35%AC: 125AMP

Electrode Size: 0.5~2.4mm

技术参数

冷却方式：气冷

直流35%暂载率：140AMP

交流35%暂载率：125AMP

电极尺寸：0.5~2.4mm

Complete torch-UK


Code	Description	Pack
IOI6307-36	Torch sintig 17F 8m 3/8G 焊枪/单开关/TIG17FX/8m/3/8G	1
IOI6907-36	Torch sintig 17F 4m 3/8G 焊枪/单开关/TIG17FX/4m/3/8G	1
IOI7307-36	Torch dubtig 17F 8m 3/8G 焊枪/双开关/TIG17FX/8m/3/8G	1
IOI7907-36	Torch dubtig 17F 4m 3/8G 焊枪/双开关/TIG17FX/4m/3/8G	1
IOZ6307-36	Torch sintig 17 8m 3/8G 焊枪/单开关/TIG17/8m/3/8G	1
IOZ6907-36	Torch sintig 17 4m 3/8G 焊枪/单开关/TIG17/4m/3/8G	1
IOZ7307-36	Torch dubtig 17 8m 3/8G 焊枪/双开关/TIG17/8m/3/8G	1
IOZ7907-36	Torch dubtig 17 4m 3/8G 焊枪/双开关/TIG17/4m/3/8G	1



3/8G



Epdm



5/8" UNF R

Complete torch-USA

Code	Description	Pack
IOI6372-36	Torch sintig 17F 8m 5/8-18UNF 焊枪/单开关/TIG17FX/8m/5/8-18UNF	1
IOI6972-36	Torch sintig 17F 4m 5/8-18UNF 焊枪/单开关/TIG17FX/4m/5/8-18UNF	1
IOI7372-36	Torch dubtig 17F 8m 5/8-18UNF 焊枪/双开关/TIG17FX/8m/5/8-18UNF	1
IOI7972-36	Torch dubtig 17F 4m 5/8-18UNF 焊枪/双开关/TIG17FX/4m/5/8-18UNF	1
IOZ6372-36	Torch sintig 17 8m 5/8-18UNF 焊枪/单开关/TIG17/8m/5/8-18UNF	1
IOZ6972-36	Torch sintig 17 4m 5/8-18UNF 焊枪/单开关/TIG17/4m/5/8-18UNF	1
IOZ7372-36	Torch dubtig 17 8m 5/8-18UNF 焊枪/双开关/TIG17/8m/5/8-18UNF	1
IOZ7972-36	Torch dubtig 17 4m 5/8-18UNF 焊枪/双开关/TIG17/4m/5/8-18UNF	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG TORCH 17

EN 60974-7



Leather



M12x1

Complete torch-EURO

Code	Description	Pack
IOI7106-36	Torch four switches 17F 4m M12x1/leather 焊枪/四开关/TIG17FX/4m/M12x1/皮护套	1
IOI7406-36	Torch dubtig 17F 8m M12x1/leather 焊枪/双开关/TIG17FX/8m/M12x1/皮护套	1
IOI7506-36	Torch dubtig 17F 4m M12x1/leather 焊枪/双开关/TIG17FX/4m/M12x1/皮护套	1
IOI8006-36	Torch four switches 17F 8m M12x1/leather 焊枪/四开关/TIG17FX/8m/M12x1/皮护套	1
IOZ7106-36	Torch four switches 17 4m M12x1/leather 焊枪/四开关/TIG17/4m/M12x1/皮护套	1
IOZ7406-36	Torch dubtig 17 8m M12x1/leather 焊枪/双开关/TIG17/8m/M12x1/皮护套	1
IOZ7506-36	Torch dubtig 17 4m M12x1/leather 焊枪/双开关/TIG17/4m/M12x1/皮护套	1
IOZ8006-36	Torch four switches 17 8m M12x1/leather 焊枪/四开关/TIG17/8m/M12x1/皮护套	1



Leather



Epdm



M12x1

Complete torch-EURO

Code	Description	Pack
ION9306-00	Torch TIG17V 8m M12x1 焊枪/TIG17V/8m/M12x1	1
ION9906-00	Torch TIG17V 4m M12x1 焊枪/TIG17V/4m/M12x1	1
IOF9306-00	Torch auto TIG17 8m M12x1 自动焊枪/TIG17/8m/M12x1	1
IOF9906-00	Torch auto TIG17 4m M12x1 自动焊枪/TIG17/4m/M12x1	1



Epdm



3/8G

Complete torch-UK

Code	Description	Pack
ION9307-00	Torch TIG 17V 8m 3/8G; 焊枪/TIG17V/8m 3/8G	1
ION9907-00	Torch TIG 17V 4m 3/8G; 焊枪/TIG17V/4m 3/8G	1
IOF9307-00	Torch Auto TIG 17 8m 3/8G; 自动焊枪/TIG17/8m 3/8G	1
IOF9907-00	Torch Auto TIG 17 4m 3/8G; 自动焊枪/TIG17/4m 3/8G	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG TORCH 18

EN 60974-7



Epdm



1/4G
M12x1
3/8G

Complete torch-EURO

Code	Description	Pack
IOB6306-36	Torch sintig 18 8m M12x1 焊枪/单开关/TIG18/8m/M12x1	1
IOB6906-36	Torch sintig 18 4m M12x1 焊枪/单开关/TIG18/4m/M12x1	1
IOB7306-36	Torch dubtig 18 8m M12x1 焊枪/双开关/TIG18/8m/M12x1	1
IOB7906-36	Torch dubtig 18 4m M12x1 焊枪/双开关/TIG18/4m/M12x1	1

Technical data

Cooling: Water Cooled	冷却方式：水冷
Duty100%DC: 320AMP	直流100%暂载率：320AMP
Duty100%AC: 240AMP	交流100%暂载率：240AMP
Electrode Size: 0.5~4mm	电极尺寸：0.5~4mm



3/8G
3/8G
3/8G

Complete torch-UK

Code	Description	Pack
IOB6307-36	Torch sintig 18 8m 3/8G 焊枪/单开关/TIG18/8m/3/8G	1
IOB6907-36	Torch sintig 18 4m 3/8G 焊枪/单开关/TIG18/4m/3/8G	1
IOB7307-36	Torch dubtig 18 8m 3/8G 焊枪/双开关/TIG18/8m/3/8G	1
IOB7907-36	Torch dubtig 18 4m 3/8G 焊枪/双开关/TIG18/4m/3/8G	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG TORCH 18

EN 60974-7



Leather



Leather



1/4G
M12x1
3/8G

Complete torch-EURO

Code	Description	Pack
IOB7106-36	Torch four switches 18 4m M12x1/leather 焊枪/四开关/TIG18/4m/M12x1/皮护套	1
IOB7406-36	Torch dubtig 18 8m M12x1/leather 焊枪/双开关/TIG18/8m/M12x1/皮护套	1
IOB7506-36	Torch dubtig 18 4m M12x1/leather 焊枪/双开关/TIG18/4m/M12x1/皮护套	1
IOB8006-36	Torch four switches 18 8m M12x1/leather 焊枪/四开关/TIG18/8m/M12x1/皮护套	1



Epdm



Epdm



1/4G
M12x1
3/8G

Complete torch-EURO

Code	Description	Pack
IOY9306-00	Torch TIG 18V 8m 焊枪/TIG18V/8m	1
IOY9906-00	Torch TIG 18V 4m 焊枪/TIG18V/4m	1
IOG9306-00	Auto torch TIG 18 8m 自动焊枪/TIG18/8m	1
IOG9906-00	Auto torch TIG 18 4m 自动焊枪/TIG18/4m	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG TORCH 20

EN 60974-7



Epdm



1/4G
M12x1
3/8G

Complete torch-EURO

Code	Description	Pack
IOM6306-36	Torch sintig 20 8m M12x1 焊枪/单开关/TIG20/8m/M12x1	1
IOM6906-36	Torch sintig 20 4m M12x1 焊枪/单开关/TIG20/4m/M12x1	1
IOM7306-36	Torch dubtig 20 8m M12x1 焊枪/双开关/TIG20/8m/M12x1	1
IOM7906-36	Torch dubtig 20 4m M12x1 焊枪/双开关/TIG20/4m/M12x1	1

Technical data ¦ 技术参数

Cooling: Water Cooled ¦ 冷却方式：水冷

Duty100%DC: 250AMP ¦ 直流100%暂载率：250AMP

Duty100%AC: 220AMP ¦ 交流100%暂载率：220AMP

Electrode Size: 0.5~3.2mm ¦ 电极尺寸：0.5~3.2mm



3/8G
3/8G
3/8G

Complete torch-UK

Code	Description	Pack
IOM6307-36	Torch sintig 20 8m 3/8G 焊枪/单开关/TIG20/8m/3/8G	1
IOM6907-36	Torch sintig 20 4m 3/8G 焊枪/单开关/TIG20/4m/3/8G	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG TORCH 20

EN 60974-7



Leather



Leather



1/4G
M12x1
3/8G

Complete torch-EURO

Code	Description	Pack
IOM7106-36	Torch four switches 20 4m M12x1/leather 焊枪/四开关/TIG20/4m/M12x1/皮护套	1
IOM7406-36	Torch dubtig 20 8m M12x1/leather 焊枪/双开关/TIG20/8m/M12x1/皮护套	1
IOM7506-36	Torch dubtig 20 4m M12x1/leather 焊枪/双开关/TIG20/4m/M12x1/皮护套	1
IOM8006-36	Torch four switches 20 8m M12x1/leather 焊枪/四开关/TIG20/8m/M12x1/皮护套	1



Epdm



Epdm



1/4G
M12x1
3/8G

Complete torch-EURO

Code	Description	Pack
IOM9306-00	Torch TIG 20V 8m 焊枪/TIG20V/8m	1
IOM9906-00	Torch TIG 20V 4m 焊枪/TIG20V/4m	1
IOQ9306-00	Auto torch TIG 20 8m 自动焊枪/TIG20/8m	1
IOQ9906-00	Auto torch TIG 20 4m 自动焊枪/TIG20/4m	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG TORCH 24

EN 60974-7



Epdm



M12x1



3/8G

Technical data

Cooling: Gas Cooled
Duty35%DC: 110AMP
Duty35%AC: 95AMP
Electrode Size: 0.5~2.4mm

技术参数
冷却方式：气冷
直流100%暂载率：110AMP
交流100%暂载率：95AMP
电极尺寸：0.5~2.4mm

Complete torch-EURO

Code	Description	Pack
IOK6306-36	Torch sintig 24F 8m M12x1 焊枪/单开关/TIG24FX/8m/M12x1	1
IOK6906-36	Torch sintig 24F 4m M12x1 焊枪/单开关/TIG24FX/4m/M12x1	1
IOK7306-36	Torch dubtig 24F 8m M12x1 焊枪/双开关/TIG24FX/8m/M12x1	1
IOK7906-36	Torch dubtig 24F 4m M12x1 焊枪/双开关/TIG24FX/4m/M12x1	1
IOV6306-36	Torch sintig 24 8m M12x1 焊枪/单开关/TIG24/8m/M12x1	1
IOV6906-36	Torch sintig 24 4m M12x1 焊枪/单开关/TIG24/4m/M12x1	1
IOV7306-36	Torch dubtig 24 8m M12x1 焊枪/双开关/TIG24/8m/M12x1	1
IOV7906-36	Torch dubtig 24 4m M12x1 焊枪/双开关/TIG24/4m/M12x1	1

Complete torch-UK

Code	Description	Pack
IOK6307-36	Torch sintig 24F 8m 3/8G 焊枪/单开关/TIG24FX/8m/3/8G	1
IOK6907-36	Torch sintig 24F 4m 3/8G 焊枪/单开关/TIG24FX/4m/3/8G	1
IOK7307-36	Torch dubtig 24F 8m 3/8G 焊枪/双开关/TIG24FX/8m/3/8G	1
IOK7907-36	Torch dubtig 24 F 4m 3/8G 焊枪/双开关/TIG24FX/4m/3/8G	1
IOV6307-36	Torch sintig 24 8m 3/8G 焊枪/单开关/TIG24/8m/3/8G	1
IOV6907-36	Torch sintig 24 4m 3/8G 焊枪/单开关/TIG24/4m/3/8G	1
IOV7307-36	Torch dubtig 24 8m 3/8G 焊枪/双开关/TIG24/8m/3/8G	1
IOV7907-36	Torch dubtig 24 4m 3/8G 焊枪/双开关/TIG24/4m/3/8G	1



Leather



Leather



M12x1

Complete torch-EURO

Code	Description	Pack
IOK7106-36	Torch four switches 24F 4m M12×1/leather 焊枪/四开关/TIG24FX/4m/M12×1/皮护套	1
IOK7406-36	Torch dubtig 24F 8m M12×1/leather 焊枪/双开关/TIG24FX/8m/M12×1/皮护套	1
IOK7506-36	Torch dubtig 24F 4m M12×1/leather 焊枪/双开关/TIG24FX/4m/M12×1/皮护套	1
IOK8006-36	Torch four switches 24F 8m M12×1/leather 焊枪/四开关/TIG24FX/8m/M12×1/皮护套	1
IOV7106-36	Torch four switches 24 4m M12×1/leather 焊枪/四开关/TIG24/4m/M12×1/皮护套	1
IOV7406-36	Torch dubtig 24 8m M12×1/leather 焊枪/双开关/TIG24/8m/M12×1/皮护套	1
IOV7506-36	Torch dubtig 24 4m M12×1/leather 焊枪/双开关/TIG24/4m/M12×1/皮护套	1
IOV8006-36	Torch four switches 24 8m M12×1/leather 焊枪/四开关/TIG24/8m/M12×1/皮护套	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG TORCH 24W

EN 60974-7



Epdm



1/4G
M12x1
3/8G



3/8G
3/8G
3/8G

Technical data

Cooling: Water Cooled
Duty100%DC: 180AMP
Duty100%AC: 120AMP
Electrode Size: 0.5~2.4mm

技术参数
冷却方式：水冷
直流100%暂载率：180AMP
交流100%暂载率：120AMP
电极尺寸：0.5~2.4mm

Complete torch-EURO

Code	Description	Pack
IOA6306-36	Torch sintig 24WF 8m M12x1 焊枪/单开关/TIG24W FX/8m/M12x1	1
IOA6906-36	Torch sintig 24WF 4m M12x1 焊枪/单开关/TIG24W FX/4m/M12x1	1
IOA7306-36	Torch dubtig 24WF 8m M12x1 焊枪/双开关/TIG24W FX/8m/M12x1	1
IOA7906-36	Torch dubtig 24WF 4m M12x1 焊枪/双开关/TIG24W FX/4m/M12x1	1
IOX6306-36	Torch sintig 24W 8m M12x1 焊枪/单开关/TIG24W/8m/M12x1	1
IOX6906-36	Torch sintig 24W 4m M12x1 焊枪/单开关/TIG24W/4m/M12x1	1
IOX7306-36	Torch dubtig 24W 8m M12x1 焊枪/双开关/TIG24W/8m/M12x1	1
IOX7906-36	Torch dubtig 24W 4m M12x1 焊枪/双开关/TIG24W/4m/M12x1	1

Complete torch-UK

Code	Description	Pack
IOA6307-36	Torch sintig 24WF 8m 3/8G 焊枪/单开关/TIG24W FX/8m/3/8G	1
IOA6907-36	Torch sintig 24WF 4m 3/8G 焊枪/单开关/TIG24W FX/4m/3/8G	1
IOA7307-36	Torch dubtig 24WF 8m 3/8G 焊枪/双开关/TIG24W FX/8m/3/8G	1
IOA7907-36	Torch dubtig 247WF 4m 3/8G 焊枪/双开关/TIG24W FX/4m/3/8G	1
IOX6307-36	Torch sintig 24W 8m 3/8G 焊枪/单开关/TIG24W/8m/3/8G	1
IOX6907-36	Torch sintig 24W 4m 3/8G 焊枪/单开关/TIG24W/4m/3/8G	1
IOX7307-36	Torch dubtig 24W 8m 3/8G 焊枪/双开关/TIG24W/8m/3/8G	1
IOX7907-36	Torch dubtig 24W 4m 3/8G 焊枪/双开关/TIG24W/4m/3/8G	1



Leather



Leather



1/4G
M12x1
3/8G

Complete torch-EURO

Code	Description	Pack
IOA7106-36	Torch four switches 24W 4m M12×1/leather 焊枪/四开关/TIG24W/4m/M12×1/皮护套	1
IOA7406-36	Torch dubtig 24W 8m M12×1/leather 焊枪/双开关/TIG24W/8m/M12×1/皮护套	1
IOA7506-36	Torch dubtig 24W 4m M12×1/leather 焊枪/双开关/TIG24W/4m/M12×1/皮护套	1
IOA8006-36	Torch four switches 24W 8m M12×1/leather 焊枪/四开关/TIG24W/8m/M12×1/皮护套	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG TORCH 25

RoHS ISO 9001:2015 CE EN 60974-7



Epdm



1/4G
M12x1
3/8G

Complete torch–EURO

Code	Description	Pack
IOJ6306-36	Torch sintig 25 8m M12x1 焊枪/单开关/TIG25/8m/M12x1	1
IOJ6906-36	Torch sintig 25 4m M12x1 焊枪/单开关/TIG25/4m/M12x1	1
IOJ7306-36	Torch dubtig 25 8m M12x1 焊枪/双开关/TIG25/8m/M12x1	1
IOJ7906-36	Torch dubtig 25 4m M12x1 焊枪/双开关/TIG25/4m/M12x1	1



3/8G
3/8G
3/8G

Complete torch–UK

Code	Description	Pack
IOJ6307-36	Torch sintig 25 8m 3/8G 焊枪/单开关/TIG25/8m/3/8G	1
IOJ6907-36	Torch sintig 25 4m 3/8G 焊枪/单开关/TIG25/4m/3/8G	1
IOJ7307-36	Torch dubtig 25 8m 3/8G 焊枪/双开关/TIG25/8m/3/8G	1
IOJ7907-36	Torch dubtig 25 4m 3/8G 焊枪/双开关/TIG25/4m/3/8G	1

Technical data

Cooling: Water Cooled	冷却方式：水冷
Duty100%DC: 250AMP	直流100%暂载率：250AMP
Duty100%AC: 220AMP	交流100%暂载率：220AMP
Electrode Size: 0.5~3.2mm	电极尺寸：0.5~3.2mm



Leather



Leather



1/4G
M12x1
3/8G

Complete torch–EURO

Code	Description	Pack
IOJ7106-36	Torch four switches 25 4m M12x1/leather 焊枪/四开关/TIG25/4m/M12x1/皮护套	1
IOJ7406-36	Torch dubtig 25 8m M12x1/leather 焊枪/双开关/TIG25/8m/M12×1/皮护套	1
IOJ7506-36	Torch dubtig 25 4m M12x1/leather 焊枪/双开关/TIG25/4m/M12×1/皮护套	1
IOJ8006-36	Torch four switches 25 8m M12x1/leather 焊枪/四开关/TIG25/8m/M12x1/皮护套	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG TORCH 26

RoHS ISO 9001:2015 CE EN 60974-7



Epdm



M12x1

Complete torch–EURO

Code	Description	Pack
IOR6306-36	Torch sintig 26F 8m M12x1 焊枪/单开关/TIG26FX/8m/M12x1	1
IOR6906-36	Torch sintig 26F 4m M12x1 焊枪/单开关/TIG26FX/4m/M12x1	1
IOR7306-36	Torch dubtig 26F 8m M12x1 焊枪/双开关/TIG26FX/8m/M12x1	1
IOR7906-36	Torch dubtig 26F 4m M12x1 焊枪/双开关/TIG26FX/4m/M12x1	1
IOW6306-36	Torch sintig 26 8m M12x1 焊枪/单开关/TIG26/8m/M12x1	1
IOW6906-36	Torch sintig 26 4m M12x1 焊枪/单开关/TIG26/4m/M12x1	1
IOW7306-36	Torch dubtig 26 8m M12x1 焊枪/双开关/TIG26/8m/M12x1	1
IOW7906-36	Torch dubtig 26 4m M12x1 焊枪/双开关/TIG26/4m/M12x1	1



3/8G

Complete torch–UK


Code	Description	Pack
IOR6307-36	Torch sintig 26F 8m 3/8G 焊枪/单开关/TIG26FX/8m/3/8G	1
IOR6907-36	Torch sintig 26F 4m 3/8G 焊枪/单开关/TIG26FX/4m/3/8G	1
IOR7307-36	Torch dubtig 26F 8m 3/8G 焊枪/双开关/TIG26FX/8m/3/8G	1
IOR7907-36	Torch dubtig 26F 4m 3/8G 焊枪/双开关/TIG26FX/4m/3/8G	1
IOW6307-36	Torch sintig 26 8m 3/8G 焊枪/单开关/TIG26/8m/3/8G	1
IOW6907-36	Torch sintig 26 4m 3/8G 焊枪/单开关/TIG26/4m/3/8G	1
IOW7307-36	Torch dubtig 26 8m 3/8G 焊枪/双开关/TIG26/8m/3/8G	1
IOW7907-36	Torch dubtig 26 4m 3/8G 焊枪/双开关/TIG26/4m/3/8G	1

Technical data

Cooling: Gas Cooled	冷却方式：气冷
Duty35%DC: 180AMP	直流35%暂载率：180AMP
Duty35%AC: 150AMP	交流35%暂载率：150AMP
Electrode Size: 0.5~4.0mm	电极尺寸：0.5~4.0mm



Epdm



5/8" 18 UNF R

Complete torch–USA

Code	Description	Pack
IOR6372-36	Torch sintig 26F 8m 5/8-18UNF 焊枪/单开关/TIG26FX/8m/5/8-18UNF	1
IOR6972-36	Torch sintig 26F 4m 5/8-18UNF 焊枪/单开关/TIG26FX/4m/5/8-18UNF	1
IOR7372-36	Torch dubtig 26F 8m 5/8-18UNF 焊枪/双开关/TIG26FX/8m/5/8-18UNF	1
IOR7972-36	Torch dubtig 26F 4m 5/8-18UNF 焊枪/双开关/TIG26FX/4m/5/8-18UNF	1
IOW6372-36	Torch sintig 26 8m 5/8-18UNF 焊枪/单开关/TIG26/8m/5/8-18UNF	1
IOW6972-36	Torch sintig 26 4m 5/8-18UNF 焊枪/单开关/TIG26/4m/5/8-18UNF	1
IOW7372-36	Torch dubtig 26 8m 5/8-18UNF 焊枪/双开关/TIG26/8m/5/8-18UNF	1
IOW7972-36	Torch dubtig 26 4m 5/8-18UNF 焊枪/双开关/TIG26/4m/5/8-18UNF	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG TORCH 26

EN 60974-7



Leather



Leather



M12x1

Complete torch-EURO

Code	Description	Pack
IOR7106-36	Torch four switches 26F 4m M12x1/leather 焊枪/四开关/TIG26FX/4m/M12x1/皮护套	1
IOR7406-36	Torch dubtig 26F 8m M12x1/leather 焊枪/双开关/TIG26FX/8m/M12x1/皮护套	1
IOR7506-36	Torch dubtig 26F 4m M12x1/leather 焊枪/双开关/TIG26FX/4m/M12x1/皮护套	1
IOR8006-36	Torch four switches 26F 8m M12x1/leather 焊枪/四开关/TIG26FX/8m/M12x1/皮护套	1
IOW7106-36	Torch four switches 26 4m M12x1/leather 焊枪/四开关/TIG26/4m/M12x1/皮护套	1
IOW7406-36	Torch dubtig 26 8m M12x1/leather 焊枪/双开关/TIG26/8m/M12x1/皮护套	1
IOW7506-36	Torch dubtig 26 4m M12x1/leather 焊枪/双开关/TIG26/4m/M12x1/皮护套	1
IOW8006-36	Torch four switches 26 8m M12x1/leather 焊枪/四开关/TIG26/8m/M12x1/皮护套	1



Epdm




M12x1

Complete torch-EURO

Code	Description	Pack
IOC9306-00	Torch TIG26V 8m M12x1 焊枪/TIG26V/8m/M12x1	1
IOC9906-00	Torch TIG26V 4m M12x1 焊枪/TIG26V/4m/M12x1	1
IOD9306-00	Torch auto TIG26 8m M12x1 自动焊枪/TIG26/8m/M12x1	1
IOD9906-00	Torch auto TIG26 4m M12x1 自动焊枪/TIG26/4m/M12x1	1



Epdm



3/8G

Complete torch-UK

Code	Description	Pack
IOC9307-00	Torch TIG26V 8m 3/8G 焊枪/TIG26V/8m/3/8G	1
IOC9907-00	Torch TIG26 4m 3/8G 焊枪/TIG26V/4m/3/8G	1
IOD9307-00	Torch auto TIG26 8m 3/8G 自动焊枪/TIG26/8m/3/8G	1
IOD9907-00	Torch auto TIG26 4m 3/8G 自动焊枪/TIG26/4m/3/8G	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG TORCH 150

EN 60974-7






M16x1.5

Technical data	技术参数
Cooling: Gas Cooled	冷却方式：气冷
Duty35%DC: 80AMP	直流35%暂载率：80AMP
Duty35%AC: 65AMP	交流35%暂载率：65AMP
Electrode Size: 1.6~2.0mm	电极尺寸：1.6~2.0mm

Complete torch-EURO

Code	Description	Pack
IOE6305	TORCH TIG150/8M M16x1.5 焊枪/TIG150/8M M16x1.5	1
IOE6365	TORCH TIG150/8M/6mmq M16x1.5 焊枪/TIG150/8M/6mmq M16x1.5	1
IOE6375	TORCH TIG150/8M/8mmq M16x1.5 焊枪/TIG150/8M/8mmq M16x1.5	1
IOE6905	TORCH TIG150/4M M16x1.5 焊枪/TIG150/4M M16x1.5	1
IOE6965	TORCH TIG150/4M/6mmq M16x1.5 焊枪/TIG150/4M/6mmq M16x1.5	1
IOE6975	TORCH TIG150/4M/8mmq M16x1.5 焊枪/TIG150/4M/8mmq M16x1.5	1



Consumables TIG 150　易损件

Code	Ref.	Description	Pack
IGZ0003	TF0008	Torch Head TIG150 枪头 TIG150	10
IHJ0052	BW0057	Short Back Cap TIG150 短柄帽 TIG150	10
IHJ0059	BW0054	Long Back Cap TIG150 长柄帽 TIG150	10
IGU0001-16	TD0006-16	Collet ø1.6 TIG150 电极夹ø1.6 TIG150	10
IGU0001-20	TD0006-20	Collet ø2.0 TIG150 电极夹ø2.0 TIG150	10
IGF0064	TE0019	Collet Body TIG150 电极夹座 TIG150	10
IGS0051	TC0056	Alumina Cup GR6 TIG150 陶瓷喷嘴GR4 TIG150	10
IGS0052	TC0057	Alumina Cup GR6 TIG150 陶瓷喷嘴GR5 TIG150	10
IGS0053	TC0058	Alumina Cup GR6 TIG150 陶瓷喷嘴GR6 TIG150	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

WIRE-FEEDING TORCH TIG 9-17-18-20-26
送丝枪

EN 60974-7

- TIG自动送丝枪，相较于现如今的手工送丝其效率是手工送丝的2倍。
  TIG Auto wire-feeding torch, the efficiency is doubled compred to manual wire-feeding.

- 自动送丝枪的配件为专用配件，有标准的送丝陶瓷与适合用于角焊的送丝陶瓷。根据不同的焊丝，可选择不同的导丝嘴来配合。
  The spare parts for Tig Auto wire-feeding torch are specialized. There are standard and suit for angle welding wire-feeding ceramics. According to different welding wires, different wire guide nozzles can be selected.



TIG 9

技术参数
冷却方式：气冷
直流35%暂载率：120AMP
交流35%暂载率：85AMP
电极尺寸：0.5~1.6mm

Technical data
Cooling: Air-Cooled
Duty35%DC: 120AMP
Duty35%AC: 85AMP
Electrode Size:0.5~1.6mm

TIG 17

技术参数
冷却方式：气冷
直流35%暂载率：140AMP
交流35%暂载率：125AMP
电极尺寸：1.0~3.2mm

Technical data
Cooling: Air-Cooled
Duty35%DC: 140AMP
Duty35%AC: 125AMP
Electrode Size:1.0~3.2mm

TIG 18

技术参数
冷却方式：水冷
直流100%暂载率：320AMP
交流100%暂载率：240AMP
电极尺寸：1.0~3.2mm

Technical data
Cooling: Water-Cooled
Duty100%DC: 320AMP
Duty100%AC: 240AMP
Electrode Size: 1.0~3.2mm

TIG 20

技术参数
冷却方式：水冷
直流100%暂载率：250AMP
交流100%暂载率：220AMP
电极尺寸：1.0~3.2mm

Technical data
Cooling: Water-Cooled
Duty100%DC: 250AMP
Duty100%AC: 220AMP
Electrode Size: 1.0~3.2mm

TIG 26

技术参数
冷却方式：气冷
直流35%暂载率：180AMP
交流35%暂载率：150AMP
电极尺寸：1.0~3.2mm

Technical data
Cooling: Air-Cooled
Duty35%DC: 180AMP
Duty35%AC: 150AMP
Electrode Size: 1.0~3.2mm

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

WEARING PARTS TIG 9-17-18-26
易损件

EN 60974-7

柄帽 Back cap

	短柄帽（short）	中柄帽（medium）	长柄帽（long）
			
TIG 9/TIG 20	IHJ0015(41V33)	IHJ0019(41V35)	IHJ0018(41V24)
			
TIG 17/TIG 18/TIG 26	IHJ0012(57Y04)	IHJ0051(57Y03)	IHJ0011(57Y02)

TIG 17/TIG 18/TIG 26

送丝陶瓷 wire-feeding ceramics	螺母 Nut	陶瓷垫圈 Ceramics gasket	电极夹座 Cellet body	电极夹 Collet	导丝嘴 Wire guide nozzle
					
Φ9.5 IGS0910 Φ11 IGS0911 Φ12.5 IGS0912 Φ11 IGS0913(角焊)	IZT0639	IZH6758	IGF0076-10 IGF0076-16 IGF0076-24 IGF0076-32	IGU0007-10(10N22S) IGU0007-16(10N23S) IGU0007-24(10N24S) IGU0007-32(10N25S)	ITC8650-08 ITC8650-10 ITC8650-12 ITC8650-16

TIG 9/TIG 20


送丝陶瓷 wire-feeding ceramics	螺母 Nut	陶瓷垫圈 Ceramics gasket	电极夹座 Cellet body	电极夹 Collet	导丝嘴 Wire guide nozzle
					
Φ9.5 IGS0910 Φ11 IGS0911 Φ12.5 IGS0912 Φ11 IGS0913(角焊)	IZT0638	IZH6757	IGF0070-10 IGF0070-16 IGF0070-24 IGF0070-32	IGU0008-10(13N21) IGU0008-16 IGU0008-24(13N23) IGU0008-32(13N24)	ITC8650-08 ITC8650-10 ITC8650-12 ITC8650-16

Code	Length	Description
MOT1394-608	4M	外挂送丝焊枪/四开关/TIG 9/4m/M12x1/仿形/TSK50/Φ6水速通/尼龙护套
MOT1398-608	8M	外挂送丝焊枪/四开关/TIG 9/8m/M12x1/仿形/TSK50/Φ6水速通/尼龙护套
MON1394-608	4M	外挂送丝焊枪/四开关/TIG 17/4m/M12x1/仿形TSK50/Φ6水速通/尼龙护套
MON1398-608	8M	外挂送丝焊枪/四开关/TIG 17/8m/M12x1/仿形/TSK50/Φ6水速通/尼龙护套
MOB1394-308	4M	外挂送丝焊枪/四开关/TIG 18/4m/M12x1/仿形/TSK50/Φ6水速通/尼龙护套
MOB1398-308	8M	外挂送丝焊枪/四开关/TIG 18/8m/M12x1/仿形/TSK50/Φ6水速通/尼龙护套
MOM1394-308	4M	外挂送丝焊枪/四开关/TIG 20/4m/M12x1/仿形/TSK50/Φ6水速通/尼龙护套
MOM1398-308	8M	外挂送丝焊枪/四开关/TIG 20/8m/M12x1/仿形/TSK50/Φ6水速通/尼龙护套
MOW1394-608	4M	外挂送丝焊枪/四开关/TIG 26/4m/M12x1/仿形/TSK50/Φ6水速通/尼龙护套
MOW1398-608	8M	外挂送丝焊枪/四开关/TIG 26/8m/M12x1/仿形/TSK50/Φ6水速通/尼龙护衰

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

MICRO TIG
TIG小枪

EN 60974-7



■ 操作方便，防滑设计，轻巧方便
Easy to operate, anti-slip, lightweight and convenient.

■ MICRO TIG的陶瓷为专用陶瓷，小巧的陶瓷配合小枪头与直筒手柄，更方便用于狭小空间
The ceramics of MICRO TIG are special. The compact ceramics with a small gun head and straight handle are more convenient for use in narrow spaces.

技术参数

枪颈长度：80mm/140mm/300mm
冷却方式：气冷/水冷
直流35%暂载率：50AMP（气冷）
直流100%暂载率：125AMP（水冷）
电极尺寸：1.0~2.4mm

Technical data

Torch head length:80mm/140mm/300mm
Cooling: Air-Cooled/Water-Cooled
Duty35%DC: 50AMP(Air-Cooled)
Duty100%DC: 125AMP(Water-Cooled)
Electrode Size: 1.0~2.4mm

MICRO TIG 易损件 / Consumables

喷嘴/Electrode	枪头黄铜件/Torch head brass	电极夹/Collet	黄铜分流器/Brass diffuser
			
IGS0004	IZH6050	IGU0075-10	ICF6006

MICRO TIG

Code	Length	Description
IOU6906-00	4M	MICRO TIG焊枪/单开关/4米/10平方/M12×1/直筒手柄
IOU6906-01	4M	MICRO TIG焊枪/单开关/4米/10平方/M12×1/L=80/直筒手柄
IOU6906-02	4M	MICRO TIG焊枪/单开关/4米/10平方/M12×1/L=300/直筒手柄

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

WELD CLEANING TORCH
焊道清洗焊枪

EN 60974-7



■ 焊道清洗焊枪适合各种角度,拆卸方便,可重复使用;
Weld cleaning torch suitable for various angles, easy to disamount and reusable;

■ 操作简单,新手也可使用;
Simple operation, a new hand can also use;

■ 毛刷头耐火耐酸、持久耐磨。
The brush head is fire-resistant, acid-resistant and durable.

技术参数/*Technical data*

直流35%暂载率：15AMP / Duty35%DC: 15AMP

WELD CLEANING TORCH / 焊道清洗焊枪

Code	Length	Description
WCG0001	4M	焊道清洗焊枪 4M/8MMQ/TSK10-25
WCG0002	4M	焊道清洗焊枪 4M/8MMQ/TSK10-25-CK

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG 17S/26S

EN 60974-7

TIG 17S



Technical data

Cooling:Gas Cooled
Duty:35%
DC:180A
Electrode Size:0.5~2.4mm

技术参数

冷却方式：气冷
暂 载 率：35%
直　　流：180A
电极尺寸：0.5~2.4mm

TIG 26S




Technical data

Cooling:Gas Cooled
Duty:35%
DC:350A
Electrode Size:0.5~4.0mm

技术参数

冷却方式：气冷
暂 载 率：35%
直　　流：350A
电极尺寸：0.5~4.0mm



Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG 17S/26S

EN 60974-7

Code	Ref.	Description	Pack
IGF0001-05	45V29	Collet body gas lens Φ 0.5mm TIG17-18-26 气塞连接体 Φ 0.5mm/TIG17-18-26	10
IGF0001-10	45V24	Collet body gas lens Φ 1.0mm TIG17-18-26 气塞连接体 Φ 1.0mm/TIG17-18-26	10
IGF0001-16	45V25	Collet body gas lens Φ 1.6mm TIG17-18-26 气塞连接体 Φ 1.6mm/TIG17-18-26	10
IGF0001-20	70060WT	Collet body gas lens Φ 2.0mm TIG17-18-26 气塞连接体 Φ 2.0mm/TIG17-18-26	10
IGF0001-24	45V26	Collet body gas lens Φ 2.4mm TIG17-18-26 气塞连接体 Φ 2.4mm/TIG17-18-26	10
IGF0001-32	45V27	Collet body gas lens Φ 3.2mm TIG17-18-26 气塞连接体 Φ 3.2mm/TIG17-18-26	10
IGF0001-40	45V28	Collet body gas lens Φ 4.0mm TIG17-18-26 气塞连接体 Φ 4.0mm/TIG17-18-26	10
IGF0002-10	45V0204	Collet body large gas lens Φ 1.0mm TIG17-18-26 加大气塞连接体 Φ 1.0mm/TIG17-18-26	10
IGF0002-16	45V116	Collet body large gas lens Φ 1.6mm TIG17-18-26 加大气塞连接体 Φ 1.6mm/TIG17-18-26	10
IGF0002-24	45V64	Collet body large gas lens Φ 2.4mm TIG17-18-26 加大气塞连接体 Φ 2.4mm/TIG17-18-26	10
IGF0002-32	995795	Collet body large gas lens Φ 3.2mm TIG17-18-26 加大气塞连接体 Φ 3.2mm/TIG17-18-26	10
IGF0002-40	45V63	Collet body large gas lens Φ 4.0mm TIG17-18-26 加大气塞连接体 Φ 4.0mm/TIG17-18-26	10
IGF0006-05	10N29	Collet body Φ 0.5mm TIG17-18-26 电极夹座 Φ 0.5mm/TIG17-18-26	10
IGF0006-10	10N30	Collet body Φ 1.0mm TIG17-18-26 电极夹座 Φ 1.0mm/TIG17-18-26	10
IGF0006-16	10N31	Collet body Φ 1.6mm TIG17-18-26 电极夹座 Φ 1.6mm/TIG17-18-26	10
IGF0006-20	70064WT	Collet body Φ 2.0mm TIG17-18-26 电极夹座 Φ 2.0mm/TIG17-18-26	10
IGF0006-24	10N32	Collet body Φ 2.4mm TIG17-18-26 电极夹座 Φ 2.4mm/TIG17-18-26	10
IGF0006-32	10N28	Collet body Φ 3.2mm TIG17-18-26 电极夹座 Φ 3.2mm/TIG17-18-26	10
IGF0006-40	406488	Collet body Φ 4.0mm TIG17-18-26 电极夹座 Φ 4.0mm/TIG17-18-26	10
IGF0006-48	30126	Collet body Φ 4.8mm TIG17-18-26 电极夹座 Φ 4.8mm/TIG17-18-26	10
IGK0005	54N63	Large gas lens insulator torch body TIG17-18-26 加大枪头绝缘帽/TIG17-18-26	10
IGK0007	18CG	Insulator torch body TIG17-18-26 枪头绝缘帽/TIG17-18-26	10
IGK0008	54N01	Insulator torch body gas lensTIG17-18-26 枪头绝缘帽/TIG17-18-26	10
IGS0001	10N46	Alumina cup GR8 TIG17-18-26 陶瓷喷嘴 GR8/TIG17-18-26	10
IGS0002	10N45	Alumina cup GR10 TIG17-18-26 陶瓷喷嘴 GR10/TIG17-18-26	10
IGS0003	10N44	Alumina cup GR12 TIG17-18-26 陶瓷喷嘴 GR12/TIG17-18-26	10
IGS0005	10N47	Alumina cup GR7 TIG17-18-26 陶瓷喷嘴 GR7/TIG17-18-26	10
IGS0007	10N50	Alumina cup GR4 TIG17-18-26 陶瓷喷嘴 GR4/TIG17-18-26	10

Code	Ref.	Description	Pack
IGS0008	10N49	Alumina cup GR5 TIG17-18-26 陶瓷喷嘴 GR5/TIG17-18-26	10
IGS0009	10N48	Alumina cup GR6 TIG17-18-26 陶瓷喷嘴 GR6/TIG17-18-26	10
IGS0020	57N75	Alumina cup gas lens XL GR6 加大陶瓷喷嘴 GR6	10
IGS0026	57N74	Alumina cup gas lens XL GR8 加大陶瓷喷嘴 GR8	10
IGS0027	53N88	Alumina cup gas lens XL GR10 加大陶瓷喷嘴 GR10	10
IGS0028	53N87	Alumina cup gas lens XL GR12 加大陶瓷喷嘴 GR12	10
IGS0029	53N89	Alumina cup gas lens XL GR15 加大陶瓷喷嘴 GR15	10
IGS0082	54N19	Alumina cup gas lens GR11 TIG17-18-26 陶瓷喷嘴 GR11/TIG17-18-26	10
IGS0085	54N14	Alumina cup gas lens GR8 TIG17-18-26 陶瓷喷嘴 GR8/TIG17-18-26	10
IGS0086	54N18	Alumina cup gas lens GR4 TIG17-18-26 陶瓷喷嘴 GR4/TIG17-18-26	10
IGS0087	54N17	Alumina cup gas lens GR5 TIG17-18-26 陶瓷喷嘴 GR5/TIG17-18-26	10
IGS0088	54N16	Alumina cup gas lens GR6 TIG17-18-26 陶瓷喷嘴 GR6/TIG17-18-26	10
IGS0089	54N15	Alumina cup gas lens GR7 TIG17-18-26 陶瓷喷嘴 GR7/TIG17-18-26	10
IGU0006-05	10N21	Collet Φ 0.5mm TIG17-18-26 电极夹 Φ 0.5mm/TIG17-18-26	10
IGU0006-10	10N22	Collet Φ 1.0mm TIG17-18-26 电极夹 Φ 1.0mm/TIG17-18-26	10
IGU0006-16	10N23	Collet Φ 1.6mm TIG17-18-26 电极夹 Φ 1.6mm/TIG17-18-26	10
IGU0006-20	10N23M	Collet Φ 2.0mm TIG17-18-26 电极夹 Φ 2.0mm/TIG17-18-26	10
IGU0006-24	10N24	Collet Φ 2.4mm TIG17-18-26 电极夹 Φ 2.4mm/TIG17-18-26	10
IGU0006-32	10N25	Collet Φ 3.2mm TIG17-18-26 电极夹 Φ 3.2mm/TIG17-18-26	10
IGU0006-40	54N20	Collet Φ 4.0mm TIG17-18-26 电极夹 Φ 4.0mm/TIG17-18-26	10
IGU0007-10	10N22S	Collet Φ 1.0mm TIG17-18-26 电极夹 Φ 1.0mm/TIG17-18-26	10
IGU0007-16	10N23S	Collet Φ 1.6mm TIG17-18-26 电极夹 Φ 1.6mm/TIG17-18-26	10
IGU0007-20	10N23MS	Collet Φ 2.0mm TIG17-18-26 电极夹 Φ 2.0mm/TIG17-18-26	10
IGU0007-24	10N24S	Collet Φ 2.4mm TIG17-18-26 电极夹 Φ 2.4mm/TIG17-18-26	10
IGU0007-32	10N25S	Collet Φ 3.2mm TIG17-18-26 电极夹 Φ 3.2mm/TIG17-18-26	10
IHJ0011	57Y02	Long back cap TIG17-18-26 长柄帽/TIG17-18-26	10
IHJ0012	57Y04	Short back cap TIG17-18-26 短柄帽/TIG17-18-26	10
IHJ0051	57Y03	Medium back cap TIG17-18-26 中柄帽/TIG17-18-26	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG MODULAR TORCH
模块化焊枪

EN 60974-7

TSA 17



Technical data
Cooling: Gas Cooled
Duty35%DC: 150AMP
Duty35%AC: 110AMP
Electrode Size: 1.0-3.2mm

技术参数
冷却方式:气冷
直流35%暂载率:150AMP
交流35%暂载率:110AMP
电极尺寸:1.0-3.2mm

Code	Length	Description
IOZ6124-102	4M	Torch sintig TSA17 4m M12×1; 焊枪/单开关/TSA17/ 4m /M12×1
IOZ6128-102	8M	Torch sintig TSA17 8m M12×1; 焊枪/单开关/TSA17/ 8m /M12×1

TSA 9



Technical data
Cooling: Gas Cooled
Duty35%DC: 120AMP
Duty35%AC: 85AMP
Electrode Size: 0.5-1.6mm

技术参数
冷却方式:气冷
直流35%暂载率:120AMP
交流35%暂载率:85AMP
电极尺寸:0.5-1.6mm

Code	Length	Description
IOT6124-102	4M	Torch sintig TSA9 4m M12×1; 焊枪/单开关/TSA9/ 4m /M12×1
IOT6128-102	8M	Torch sintig TSA9 8m M12×1; 焊枪/单开关/TSA9/ 8m /M12×1

TSA 20



Technical data
Cooling: Water Cooled
Duty35%DC: 225AMP
Duty35%AC: 160AMP
Electrode Size: 0.5-3.2mm

技术参数
冷却方式:水冷
直流35%暂载率:225AMP
交流35%暂载率:160AMP
电极尺寸:0.5-3.2mm

Code	Length	Description
IOM6124-504	4M	Torch sintig TSA20 4m M12×1; 焊枪/单开关/TSA20/ 4m /M12×1
IOM6128-504	8M	Torch sintig TSA20 8m M12×1; 焊枪/单开关/TSA20/ 8m /M12×1

TSA 26



Technical data
Cooling: Gas Cooled
Duty35%DC: 200AMP
Duty35%AC: 140AMP
Electrode Size: 1.0-4.0mm

技术参数
冷却方式:气冷
直流35%暂载率:200AMP
交流35%暂载率:140AMP
电极尺寸:1.0-4.0mm

Code	Length	Description
IOM6124-102	4M	Torch sintig TSA26 4m M12×1; 焊枪/单开关/TSA26/ 4m /M12×1
IOM6128-102	8M	Torch sintig TSA26 8m M12×1; 焊枪/单开关/TSA26/ 8m /M12×1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TIG TORCH 450W
双水冷氩弧焊枪

EN 60974-7

TIG 450W



Technical data
Cooling: Water Cooled
Duty100%DC: 400AMP
Duty100%AC: 280AMP
Electrode Size: 0.5-3.2mm

技术参数
冷却方式：水冷
直流100%暂载率：400AMP
交流100%暂载率：280AMP
电极尺寸：0.5-3.2mm

Code	Length	Description
IBT6913-606	4M	TORCH TIG 450W/4M/1/4G+Φ6 Quick connector; 焊枪/单开关/TIG450W/4M/气 1/4G /水 Φ6水速通/无航插
IBT6313-606	8M	TORCH TIG 450W/8M/1/4G+Φ6 Quick connector; 焊枪/单开关/TIG450W/8M/气 1/4G /水 Φ6水速通/无航插

TIG 12



Technical data
Cooling: Water Cooled
Duty100%DC: 500AMP
Duty100%AC: 350AMP
Electrode Size: 1.6-4.0mm

技术参数
冷却方式:水冷
直流100%暂载率:500AMP
交流100%暂载率:350AMP
电极尺寸:1.6-4.0mm


Code	Length	Description
IPZ6906	4M	TORCH SINTIG 12/4M 12MMQ/M12×1/M10×1; 焊枪/单开关/TIG12/4M 12MMQ/M12×1/M10×1
IPZ6306	8M	TORCH SINTIG 12/8M 12MMQ/M12×1/M10×1; 焊枪/单开关/TIG12/8M 12MMQ/M12×1/M10×1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

CONSUMABLES TIG 9-20-24-25
易损件

RoHS ISO 9001:2015 CE EN 60974-7





Code	Ref.	Description	Pack
IGF0005-05	45V41	Collet body gas lens Φ 0.5mm TIG24-24W 气塞连接体 Φ 0.5mm/TIG24-24W	10
IGF0005-10	45V42	Collet body gas lens Φ 1.0mm TIG24-24W 气塞连接体 Φ 1.0mm/TIG24-24W	10
IGF0005-16	45V43	Collet body gas lens Φ 1.6mm TIG24-24W 气塞连接体 Φ 1.6mm/TIG24-24W	10
IGF0005-20	70058	Collet body gas lens Φ 2.0mm TIG24-24W 气塞连接体 Φ 2.0mm/TIG24-24W	10
IGF0005-24	45V44	Collet body gas lens Φ 2.4mm TIG24-24W 气塞连接体 Φ 2.4mm/TIG24-24W	10
IGF0005-32	45V45	Collet body gas lens Φ 3.2mm TIG24-24W 气塞连接体 Φ 3.2mm/TIG24-24W	10
IGF0008-05	13N25	Collet body Φ 0.5mm TIG9-20-25 电极夹座 Φ 0.5mm/TIG9-20-25	10
IGF0008-10	13N26	Collet body Φ 1.0mm TIG9-20-25 电极夹座 Φ 1.0mm/TIG9-20-25	10

Code	Ref.	Description	Pack
IGF0008-12	701.0276	Collet body Φ 1.2mm TIG9-20-25 电极夹座 Φ 1.2mm/TIG9-20-25	10
IGF0008-16	13N27	Collet body Φ 1.6mm TIG9-20-25 电极夹座 Φ 1.6mm/TIG9-20-25	10
IGF0008-20	13N27M	Collet body Φ 2.0mm TIG9-20-25 电极夹座 Φ 2.0mm/TIG9-20-25	10
IGF0008-24	13N28	Collet body Φ 2.4mm TIG9-20-25 电极夹座 Φ 2.4mm/TIG9-20-25	10
IGF0008-32	13N29	Collet body Φ 3.2mm TIG9-20-25 电极夹座 Φ 3.2mm/TIG9-20-25	10
IGF0009-05	53N17	Collet body Φ 0.5mm TIG24-24W 电极夹座 Φ 0.5mm TIG24-24W	10
IGF0009-10	53N18	Collet body Φ 1.0mm TIG24-24W 电极夹座 Φ 1.0mm TIG24-24W	10
IGF0009-16	53N19	Collet body Φ 1.6mm TIG24-24W 电极夹座 Φ 1.6mm TIG24-24W	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

CONSUMABLES TIG 9-20-24-25
易损件

RoHS ISO 9001:2015 CE EN 60974-7

Code	Ref.	Description	Pack
IGF0009-24	24CB332	Collet body Φ 2.4mm TIG24-24W 电极夹座 Φ 2.4mm/TIG24-24W	10
IGF0060-10	45V0204S	Extra large gas lens Φ 1.0mm TIG9-20-25 加大气塞连接体 Φ 1.0mm/TIG9-20-25	10
IGF0060-16	45V116S	Extra large gas lens Φ 1.6mm TIG9-20-25 加大气塞连接体 Φ 1.6mm/TIG9-20-25	10
IGF0060-24	45V64S	Extra large gas lens Φ 2.4mm TIG9-20-25 加大气塞连接体 Φ 2.4mm/TIG9-20-25	10
IGF0060-32	995795S	Extra large gas lens Φ 3.2mm TIG9-20-25 加大气塞连接体 Φ 3.2mm/TIG9-20-25	10
IGF0060-40	45V63S	Extra large gas lens Φ 4.0mm TIG9-20-25 加大气塞连接体 Φ 4.0mm/TIG9-20-25	10
IGK0005	54N63	Insulator cap/largegas lens TIG17-18-26; 枪头绝缘帽 Largegas lens TIG17-18-26	10
IGK0009	53N22	Insulator torch body TIG24-24W 枪头绝缘帽/TIG24-24W	10
IGK0066	54N63-20	Large gas lens insulator torch body TIG9-20 加大枪头绝缘帽/TIG9-20	10
IGK0079	53N66	Large gas lens insulator torch body TIG24-24W 加大枪头绝缘帽/TIG24-24W	10
IGS0020	57N75	Alumina cup gas lens XL GR6 加大陶瓷喷嘴 GR6	10
IGS0026	57N74	Alumina cup gas lens XL GR8 加大陶瓷喷嘴 GR8	10
IGS0027	53N88	Alumina cup gas lens XL GR10 加大陶瓷喷嘴 GR10	10
IGS0028	53N87	Alumina cup gas lens XL GR12 加大陶瓷喷嘴 GR12	10
IGS0029	53N89	Alumina cup gas lens XL GR15 加大陶瓷喷嘴 GR15	10
IGS0041	796F71	Alumina cup GR4L TIG9-20-25 陶瓷喷嘴 GR4L/TIG9-20-25	10
IGS0042	796F72	Alumina cup GR5L TIG9-20-25 陶瓷喷嘴 GR5L/TIG9-20-25	10
IGS0043	796F73	Alumina cup GR6L TIG9-20-25 陶瓷喷嘴 GR6L/TIG9-20-25	10
IGS0045	796F70	Alumina cup GR3L TIG9-20-25 陶瓷喷嘴 GR3L/TIG9-20-25	10
IGS0050	53N61SXL	Alumina cup gas lens GR8 TIG24-24W 陶瓷喷嘴 GR8/TIG24-24W	10
IGS0055	5SN61SL	Alumina cup gas lens GR8 TIG24-24W 陶瓷喷嘴 GR8/TIG24-24W	10
IGS0056	53N58L	Alumina cup gas lens GR4 TIG24-24W 陶瓷喷嘴 GR4/TIG24-24W	10
IGS0057	53N59L	Alumina cup gas lens GR5 TIG24-24W 陶瓷喷嘴 GR5/TIG24-24W	10
IGS0058	53N60L	Alumina cup gas lens GR6 TIG24-24W 陶瓷喷嘴 GR6/TIG24-24W	10
IGS0059	53N61L	Alumina cup gas lens GR7 TIG24-24W 陶瓷喷嘴 GR7/TIG24-24W	10
IGS0061	13N12	Alumina cup GR8 TIG9-20-25 陶瓷喷嘴 GR8/TIG9-20-25	10
IGS0062	13N13	Alumina cup GR10 TIG9-20-25 陶瓷喷嘴 GR10/TIG9-20-25	10
IGS0065	13N11	Alumina cup GR7 TIG9-20-25 陶瓷喷嘴 GR7/TIG9-20-25	10
IGS0067	13N08	Alumina cup GR4 TIG9-20-25 陶瓷喷嘴 GR4/TIG9-20-25	10
IGS0068	13N09	Alumina cup GR5 TIG9-20-25 陶瓷喷嘴 GR5/TIG9-20-25	10
IGS0069	13N10	Alumina cup GR6 TIG9-20-25 陶瓷喷嘴 GR6/TIG9-20-25	10
IGS0076	53N23	Alumina cup GR3 TIG24-24W 陶瓷喷嘴 GR3/TIG24-24W	10
IGS0077	53N24	Alumina cup GR4 TIG24-24W 陶瓷喷嘴 GR4/TIG24-24W	10
IGS0078	53N25	Alumina cup GR5 TIG24-24W 陶瓷喷嘴 GR5/TIG24-24W	10
IGS0079	53N27	Alumina cup GR6 TIG24-24W 陶瓷喷嘴 GR6/TIG24-24W	10
IGS0091	53N58XL	Alumina cup gas lens GR4 TIG24-24W 陶瓷喷嘴 GR4/TIG24-24W	10
IGS0092	53N59XL	Alumina cup gas lens GR5 TIG24-24W 陶瓷喷嘴 GR5/TIG24-24W	10
IGS0093	53N60XL	Alumina cup gas lens GR6 TIG24-24W 陶瓷喷嘴 GR6/TIG24-24W	10


Code	Ref.	Description	Pack
IGS0094	53N61XL	Alumina cup gas lens GR7 TIG24-24W 陶瓷喷嘴 GR7/TIG24-24W	10
IGS0095	53N61S	Alumina cup gas lens GR8 TIG24-24W 陶瓷喷嘴 GR8/TIG24-24W	10
IGS0096	53N58	Alumina cup gas lens GR4 TIG24-24W 陶瓷喷嘴 GR4/TIG24-24W	10
IGS0097	53N59	Alumina cup gas lens GR5 TIG24-24W 陶瓷喷嘴 GR5/TIG24-24W	10
IGS0098	53N60	Alumina cup gas lens GR6 TIG24-24W 陶瓷喷嘴 GR6/TIG24-24W	10
IGS0099	53N61	Alumina cup gas lens GR7 TIG24-24W 陶瓷喷嘴 GR7/TIG24-24W	10
IGS0600	796F74	Alumina cup GR3XL TIG9-20-25 陶瓷喷嘴 GR3XL/TIG9-20-25	10
IGS0606	796F75	Alumina cup GR4XL TIG9-20-25 陶瓷喷嘴 GR4XL/TIG9-20-25	10
IGS0607	796F76	Alumina cup GR5XL TIG9-20-25 陶瓷喷嘴 GR5XL/TIG9-20-25	10
IGS0608	796F79	Alumina cup GR4XXL TIG9-20-25 陶瓷喷嘴 GR4XXL/TIG9-20-25	10
IGS0609	796F77	Alumina cup GR6XL TIG9-20-25 陶瓷喷嘴 GR6XL/TIG9-20-25	10
IGU0005-05	53N62	Collet Φ 0.5mm gas lens TIG24-24W 电极夹 Φ 0.5mm/TIG24-24W	10
IGU0005-10	53N63	Collet Φ 1.0mm gas lens TIG24-24W 电极夹 Φ 1.0mm/TIG24-24W	10
IGU0005-16	53N64	Collet Φ 1.6mm gas lens TIG24-24W 电极夹 Φ 1.6mm/TIG24-24W	10
IGU0005-24	24GLC332	Collet Φ 2.4mm gas lens TIG24-24W 电极夹 Φ 2.4mm/TIG24-24W	10
IGU0008-05	13N20	Collet Φ 0.5mm TIG9-20-25 电极夹 Φ 0.5mm/TIG9-20-25	10
IGU0008-10	13N21	Collet Φ 1.0mm TIG9-20-25 电极夹 Φ 1.0mm/TIG9-20-25	10
IGU0008-12	701.0254	Collet Φ 1.2mm TIG9-20-25 电极夹 Φ 1.2mm/TIG9-20-25	10
IGU0008-16	13N22	Collet Φ 1.6mm TIG9-20-25 电极夹 Φ 1.6mm/TIG9-20-25	10
IGU0008-20	70066WT	Collet Φ 2.0mm TIG9-20-25 电极夹 Φ 2.0mm/TIG9-20-25	10
IGU0008-24	13N23	Collet Φ 2.4mm TIG9-20-25 电极夹 Φ 2.4mm/TIG9-20-25	10
IGU0008-32	13N24	Collet Φ 3.2mm TIG9-20-25 电极夹 Φ 3.2mm/TIG9-20-25	10
IGU0009-05	53N15	Collet Φ 0.5mm TIG24-24W 电极夹 Φ 0.5mm/TIG24-24W	10
IGU0009-10	53N16	Collet Φ 1.0mm TIG24-24W 电极夹 Φ 1.0mm/TIG24-24W	10
IGU0009-16	53N14	Collet Φ 1.6mm TIG24-24W 电极夹 Φ 1.6mm/TIG24-24W	10
IGU0009-24	24GLC332	Collet Φ 2.4mm TIG24-24W 电极夹 Φ 2.4mm/TIG24-24W	10
IGU0033-05	13N20L	Collet Φ 0.5mm TIG9-20 电极夹 Φ 0.5mm/TIG9-20	10
IGU0033-10	13N21L	Collet Φ 1.0mm TIG9-20 电极夹 Φ 1.0mm/TIG9-20	10
IGU0033-16	13N22L	Collet Φ 1.6mm TIG9-20 电极夹 Φ 1.6mm/TIG9-20	10
IGU0033-20	13N23ML	Collet Φ 2.0mm TIG9-20 电极夹 Φ 2.0mm/TIG9-20	10
IGU0033-24	13N23L	Collet Φ 2.4mm TIG9-20 电极夹 Φ 2.4mm/TIG9-20	10
IGU0033-32	13N24L	Collet Φ 3.2mm TIG9-20 电极夹 Φ 3.2mm/TIG9-20	10
IHJ0015	41V33	Short back cap TIG9-20-25 短柄帽/TIG9-20-25	10
IHJ0018	41V24	Long back cap TIG9-20-25 长柄帽/TIG9-20-25	10
IHJ0019	41V35	Medium back cap TIG9-20-25 中柄帽/TIG9-20-25	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

CONSUMABLES TIG 17-18-26
易损件

RoHS ISO 9001:2015 CE EN 60974-7





Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

CONSUMABLES TIG 17-18-26
易损件

RoHS ISO 9001:2015 CE EN 60974-7

Code	Ref.	Description	Pack
IGF0001-05	45V29	Collet body gas lens Φ 0.5mm TIG17-18-26 气塞连接体 Φ 0.5mm/TIG17-18-26	10
IGF0001-10	45V24	Collet body gas lens Φ 1.0mm TIG17-18-26 气塞连接体 Φ 1.0mm/TIG17-18-26	10
IGF0001-16	45V25	Collet body gas lens Φ 1.6mm TIG17-18-26 气塞连接体 Φ 1.6mm/TIG17-18-26	10
IGF0001-20	70060WT	Collet body gas lens Φ 2.0mm TIG17-18-26 气塞连接体 Φ 2.0mm/TIG17-18-26	10
IGF0001-24	45V26	Collet body gas lens Φ 2.4mm TIG17-18-26 气塞连接体 Φ 2.4mm/TIG17-18-26	10
IGF0001-32	45V27	Collet body gas lens Φ 3.2mm TIG17-18-26 气塞连接体 Φ 3.2mm/TIG17-18-26	10
IGF0001-40	45V28	Collet body gas lens Φ 4.0mm TIG17-18-26 气塞连接体 Φ 4.0mm/TIG17-18-26	10
IGF0002-10	45V0204	Collet body large gas lens Φ 1.0mm TIG17-18-26 加大气塞连接体 Φ 1.0mm/TIG17-18-26	10
IGF0002-16	45V116	Collet body large gas lens Φ 1.6mm TIG17-18-26 加大气塞连接体 Φ 1.6mm/TIG17-18-26	10
IGF0002-24	45V64	Collet body large gas lens Φ 2.4mm TIG17-18-26 加大气塞连接体 Φ 2.4mm/TIG17-18-26	10
IGF0002-32	995795	Collet body large gas lens Φ 3.2mm TIG17-18-26 加大气塞连接体 Φ 3.2mm/TIG17-18-26	10
IGF0002-40	45V63	Collet body large gas lens Φ 4.0mm TIG17-18-26 加大气塞连接体 Φ 4.0mm/TIG17-18-26	10
IGF0006-05	10N29	Collet body Φ 0.5mm TIG17-18-26 电极夹座 Φ 0.5mm/TIG17-18-26	10
IGF0006-10	10N30	Collet body Φ 1.0mm TIG17-18-26 电极夹座 Φ 1.0mm/TIG17-18-26	10
IGF0006-16	10N31	Collet body Φ 1.6mm TIG17-18-26 电极夹座 Φ 1.6mm/TIG17-18-26	10
IGF0006-20	70064WT	Collet body Φ 2.0mm TIG17-18-26 电极夹座 Φ 2.0mm/TIG17-18-26	10
IGF0006-24	10N32	Collet body Φ 2.4mm TIG17-18-26 电极夹座 Φ 2.4mm/TIG17-18-26	10
IGF0006-32	10N28	Collet body Φ 3.2mm TIG17-18-26 电极夹座 Φ 3.2mm/TIG17-18-26	10
IGF0006-40	406488	Collet body Φ 4.0mm TIG17-18-26 电极夹座 Φ 4.0mm/TIG17-18-26	10
IGF0006-48	30126	Collet body Φ 4.8mm TIG17-18-26 电极夹座 Φ 4.8mm/TIG17-18-26	10
IGF0007-16	17CB20	Collet body Φ 24.5mm TIG17-18-26 电极夹座 Φ 24.5mm/TIG17-18-26	10
IGK0005	54N63	Large gas lens insulator torch body TIG17-18-26 加大枪头绝缘帽/TIG17-18-26	10
IGK0007	18CG	Insulator torch body TIG17-18-26 枪头绝缘帽/TIG17-18-26	10
IGK0008	54N01	Insulator torch body gas lensTIG17-18-26 枪头绝缘帽/TIG17-18-26	10
IGK0068	18CG20	Insulator torch body gas lensTIG17-18-26 枪头绝缘帽/TIG17-18-26	10
IGS0001	10N46	Alumina cup GR8 TIG17-18-26 陶瓷喷嘴 GR8/TIG17-18-26	10
IGS0002	10N45	Alumina cup GR10 TIG17-18-26 陶瓷喷嘴 GR10/TIG17-18-26	10
IGS0003	10N44	Alumina cup GR12 TIG17-18-26 陶瓷喷嘴 GR12/TIG17-18-26	10
IGS0005	10N47	Alumina cup GR7 TIG17-18-26 陶瓷喷嘴 GR7/TIG17-18-26	10
IGS0007	10N50	Alumina cup GR4 TIG17-18-26 陶瓷喷嘴 GR4/TIG17-18-26	10
IGS0008	10N49	Alumina cup GR5 TIG17-18-26 陶瓷喷嘴 GR5/TIG17-18-26	10
IGS0009	10N48	Alumina cup GR6 TIG17-18-26 陶瓷喷嘴 GR6/TIG17-18-26	10
IGS0020	57N75	Alumina cup gas lens XL GR6 加大陶瓷喷嘴 GR6	10
IGS0026	57N74	Alumina cup gas lens XL GR8 加大陶瓷喷嘴 GR8	10

Code	Ref.	Description	Pack
IGS0027	53N88	Alumina cup gas lens XL GR10 加大陶瓷喷嘴 GR10	10
IGS0028	53N87	Alumina cup gas lens XL GR12 加大陶瓷喷嘴 GR12	10
IGS0029	53N89	Alumina cup gas lens XL GR15 加大陶瓷喷嘴 GR15	10
IGS0031	54N17L	Alumina cup gas lens GR5L/TIG17-18-26 陶瓷喷嘴 GR5L/TIG17-18-26	10
IGS0032	54N16L	Alumina cup gas lens GR6L/TIG17-18-26 陶瓷喷嘴 GR6L/TIG17-18-26	10
IGS0033	54N15L	Alumina cup gas lens GR7L/TIG17-18-26 陶瓷喷嘴 GR7L/TIG17-18-26	10
IGS0034	54N14L	Alumina cup gas lens GR8L/TIG17-18-26 陶瓷喷嘴 GR8L/TIG17-18-26	10
IGS0040	10N50L	Alumina cup GR4L/TIG17-18-26 陶瓷喷嘴 GR4L/TIG17-18-26	10
IGS0046	10N49L	Alumina cup GR5L/TIG17-18-26 陶瓷喷嘴 GR5L/TIG17-18-26	10
IGS0047	10N48L	Alumina cup GR6L/TIG17-18-26 陶瓷喷嘴 GR6L/TIG17-18-26	10
IGS0048	10N47L	Alumina cup GR7L/TIG17-18-26 陶瓷喷嘴 GR7L/TIG17-18-26	10
IGS0049	10N46L	Alumina cup GR8L/TIG17-18-26 陶瓷喷嘴 GR8L/TIG17-18-26	10
IGS0082	54N19	Alumina cup gas lens GR12 TIG17-18-26 陶瓷喷嘴 GR12/TIG17-18-26	10
IGS0085	54N14	Alumina cup gas lens GR8 TIG17-18-26 陶瓷喷嘴 GR8/TIG17-18-26	10
IGS0086	54N18	Alumina cup gas lens GR4 TIG17-18-26 陶瓷喷嘴 GR4/TIG17-18-26	10
IGS0087	54N17	Alumina cup gas lens GR5 TIG17-18-26 陶瓷喷嘴 GR5/TIG17-18-26	10
IGS0088	54N16	Alumina cup gas lens GR6 TIG17-18-26 陶瓷喷嘴 GR6/TIG17-18-26	10
IGS0089	54N15	Alumina cup gas lens GR7 TIG17-18-26 陶瓷喷嘴 GR7/TIG17-18-26	10
IGU0006-05	10N21	Collet Φ 0.5mm TIG17-18-26 电极夹 Φ 0.5mm/TIG17-18-26	10
IGU0006-10	10N22	Collet Φ 1.0mm TIG17-18-26 电极夹 Φ 1.0mm/TIG17-18-26	10
IGU0006-16	10N23	Collet Φ 1.6mm TIG17-18-26 电极夹 Φ 1.6mm/TIG17-18-26	10
IGU0006-20	10N23M	Collet Φ 2.0mm TIG17-18-26 电极夹 Φ 2.0mm/TIG17-18-26	10
IGU0006-24	10N24	Collet Φ 2.4mm TIG17-18-26 电极夹 Φ 2.4mm/TIG17-18-26	10
IGU0006-32	10N25	Collet Φ 3.2mm TIG17-18-26 电极夹 Φ 3.2mm/TIG17-18-26	10
IGU0006-40	54N20	Collet Φ 4.0mm TIG17-18-26 电极夹 Φ 4.0mm/TIG17-18-26	10
IGU0007-05	10N21S	Collet Φ 0.5mm TIG17-18-26 电极夹 Φ 0.5mm/TIG17-18-26	10
IGU0007-10	10N22S	Collet Φ 1.0mm TIG17-18-26 电极夹 Φ 1.0mm/TIG17-18-26	10
IGU0007-16	10N23S	Collet Φ 1.6mm TIG17-18-26 电极夹 Φ 1.6mm/TIG17-18-26	10
IGU0007-20	10N23MS	Collet Φ 2.0mm TIG17-18-26 电极夹 Φ 2.0mm/TIG17-18-26	10
IGU0007-24	10N24S	Collet Φ 2.4mm TIG17-18-26 电极夹 Φ 2.4mm/TIG17-18-26	10
IGU0007-32	10N25S	Collet Φ 3.2mm TIG17-18-26 电极夹 Φ 3.2mm/TIG17-18-26	10
IHJ0011	57Y02	Long back cap TIG17-18-26 长柄帽/TIG17-18-26	10
IHJ0012	57Y04	Short back cap TIG17-18-26 短柄帽/TIG17-18-26	10
IHJ0051	57Y03	Medium back cap TIG17-18-26 中柄帽/TIG17-18-26	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）


CONSUMABLES TIG 17-18-26

Transparent accessories/Large diameter gas lens

易损件

EN 60974-7





Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)

注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

CONSUMABLES TIG 17-18-26

Transparent accessories/Large diameter gas lens

易损件

EN 60974-7

Code	Ref.	Description	Pack
IHJ0011	57Y02	Long back cap TIG17-18-26 长柄帽/TIG17-18-26	10
IHJ0012	57Y04	Short back cap TIG17-18-26 短柄帽/TIG17-18-26	10
IHJ0051	57Y03	Medium back cap TIG17-18-26 中柄帽/TIG17-18-26	10
IGK0062	TQ0017	Insulator torch body TIG17-26 枪头绝缘帽 TIG17-26	10
IGU0007-05	10N21S	Collet Ø0.5 29MM TIG17-18-26 电极夹 Ø0.5 29MM TIG17-18-26	10
IGU0007-10	10N22S	Collet Ø1.0 29MM TIG17-18-26 电极夹 Ø1.0 29MM TIG17-18-26	10
IGU0007-16	10N23S	Collet Ø1.6 29MM TIG17-18-26 电极夹 Ø1.6 29MM TIG17-18-26	10
IGU0007-20	10N23MS	Collet Ø2.0 29MM TIG17-18-26 电极夹 Ø2.0 29MM TIG17-18-26	10
IGU0007-24	10N24S	Collet Ø2.4 29MM TIG17-18-26 电极夹 Ø2.4 29MM TIG17-18-26	10
IGU0007-32	10N25S	Collet Ø3.2 29MM TIG17-18-26 电极夹 Ø3.2 29MM TIG17-18-26	10
IGF0007-40	TE0002-40	Collet body 24.5MM Ø4.0 TIG17-18-26 电极夹座 24.5MM Ø4.0 TIG17-18-26	10
IFT8528	EA3573	“O” ring/OD,14*2.65/FKM/green O型圈/氟橡胶/绿色/OD,14*2.65	10
IGF0086-10	TE0031-10	Collet body gas lens with cup/Ø1.0 气塞连接体 Ø1.0/配套玻璃喷嘴	10


Code	Ref.	Description	Pack
IGF0086-16	TE0031-16	Collet body gas lens with cup/Ø1.6 气塞连接体 Ø1.6/配套玻璃喷嘴	10
IGF0086-20	TE0031-20	Collet body gas lens with cup/Ø2.0 气塞连接体 Ø2.0/配套玻璃喷嘴	10
IGF0086-24	TE0031-24	Collet body gas lens with cup/Ø2.4 气塞连接体 Ø2.4/配套玻璃喷嘴	10
IGF0086-32	TE0031-32	Collet body gas lens with cup/Ø3.2 气塞连接体 Ø3.2/配套玻璃喷嘴	10
IGF0086-40	TE0031-40	Collet body gas lens with cup/Ø4.0 气塞连接体 Ø4.0/配套玻璃喷嘴	10
IGS0720	TC0270	Cup GR6/Ø6*Ø10 玻璃喷嘴 GR6/Ø6*Ø10	10
IGS0721	TC0271	Cup GR8/Ø8*Ø12 玻璃喷嘴 GR8/Ø8*Ø12	10
IGS0722	TC0272	Cup GR10/Ø10*Ø14 玻璃喷嘴 GR10/Ø10*Ø14	10
IGS0723	TC0273	Cup GR11/Φ11*Φ15 玻璃喷嘴 GR11/Φ11*Φ15	10
IGS0724	TC0274	Cup GR13/Ø13*Ø17 玻璃喷嘴 GR13/Ø13*Ø17	10
IGS0726	TC0276	Cup GR14.8/Ø14.6*Ø19 玻璃喷嘴 GR14.8/Ø14.6*Ø19	10
IGS0725	TC0275	Cup GR20/Ø15.3*Ø20 玻璃喷嘴 GR20/Ø15.3*Ø20	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)

注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

CONSUMABLES TIG 12
易损件

EN 60974-7



Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

CONSUMABLES TIG 12
易损件


EN 60974-7

Code	Ref.	Description
IGF0066-16	11GL16	Collet Body gas lens Φ 1.6 TIG12;气塞连接体 Φ 1.6 TIG12
IGF0066-24	11GL32	Collet Body gas lens Φ 2.4 TIG12;气塞连接体 Φ 2.4 TIG12
IGF0066-32	11GL18	Collet Body gas lens Φ 3.2 TIG12;气塞连接体 Φ 3.2 TIG12
IGF0066-40	11GL53	Collet Body gas lens Φ 4.0 TIG12;气塞连接体 Φ 4.0 TIG12
IGF0066-48	11GL36	Collet Body gas lens Φ 4.8 TIG12;气塞连接体 Φ 4.8 TIG12
IGF0067-00	11WP65	Collet Body(All sizes) TIG12;电极夹座(全尺寸) TIG12
IGI0970	WP-12	Torch body, includes nozzle gasket (70°);枪颈/带绝缘垫圈/70°
IGK0071	12GLG	gas lens insulator TIG12;气塞连接体绝缘帽TIG12
IGK0075	12NG	Nozzle gasket;绝缘垫圈
IGS0020	57N75	Alumina Cup gas lens XL GR6;加大gas lens用陶瓷喷嘴 GR6
IGS0026	57N74	Alumina Cup gas lens XL GR8;加大gas lens用陶瓷喷嘴 GR8
IGS0027	53N88	Alumina Cup gas lens XL GR10;加大gas lens用陶瓷喷嘴 GR10
IGS0028	53N87	Alumina Cup gas lens XL GR12;加大gas lens用陶瓷喷嘴 GR12
IGS0029	53N89	Alumina Cup gas lens XL GR15 short;加大gas lens用陶瓷喷嘴/短款
IGS0681	14N61-10	Alumina cup/GR10 TIG12;陶瓷喷嘴/GR10 TIG12
IGS0682	14N61-12	Alumina cup/GR12 TIG12;陶瓷喷嘴/GR12 TIG12
IGS0683	14N68	Long alumina cup TIG12;加长陶瓷喷嘴 TIG12
IGS0684	14N69	Long alumina cup TIG12;加长陶瓷喷嘴 TIG12
IGS0685	14N61	Alumina cup/GR8 TIG12;陶瓷喷嘴/GR8 TIG12
IGS0686	14N57	Alumina cup/GR4 TIG12;陶瓷喷嘴/GR4 TIG12
IGS0687	14N58	Alumina cup/GR5 TIG12;陶瓷喷嘴/GR5 TIG12
IGS0688	14N59	Alumina cup/GR6 TIG12;陶瓷喷嘴/GR6 TIG12
IGS0689	14N60	Alumina cup/GR7 TIG12;陶瓷喷嘴/GR7 TIG12
IGS0690	14N70	Long alumina cup TIG12;加长陶瓷喷嘴 TIG12
IGS0696	14N71	Long alumina cup TIG12;加长陶瓷喷嘴 TIG12
IGS0697	14N72	Long alumina cup TIG12;加长陶瓷喷嘴 TIG12
IGU0066-16	85Z14	Collet Φ 1.6 TIG12;电极夹 Φ 1.6 TIG12
IGU0066-24	85Z15	Collet Φ 2.4 TIG12;电极夹 Φ 2.4 TIG12
IGU0066-32	85Z16	Collet Φ 3.2 TIG12;电极夹 Φ 3.2 TIG12
IGU0066-40	85Z17	Collet Φ 4.0 TIG12;电极夹 Φ 4.0 TIG12
IGU0066-48	85Z18	Collet Φ 4.8 TIG12;电极夹 Φ 4.8 TIG12
IGU0066-64	85Z19	Collet Φ 6.4 TIG12;电极夹 Φ 6.4 TIG12
IGV0003	85WP13	Handle TIG12;手柄 TIG12
IHJ0678	56Y44	Long back cap, includes O-ring;长柄帽带O型圈
IHJ0679	56Y45	Short back cap, includes O-ring;短柄帽带O型圈

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

CONSUMABLES TIG 22
易损件

EN 60974-7



Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

CONSUMABLES TIG 22
易损件

EN 60974-7

Code	Ref.	Description
IGF0005-10	45V42	Collet Body gas lens Φ 1.0 TIG22-24-24W;气塞连接体 Φ 1.0 TIG22-24-24W
IGF0005-16	45V43	Collet Body gas lens Φ 1.6 TIG22-24-24W;气塞连接体 Φ 1.6 TIG22-24-24W
IGF0005-24	45V44	Collet Body gas lens Φ 2.4 TIG22-24-24W;气塞连接体 Φ 2.4 TIG22-24-24W
IGF0005-32	45V45	Collet Body gas lens Φ 3.2 TIG22-24-24W;气塞连接体 Φ 3.2 TIG22-24-24W
IGF0008-10	13N26	Collet Body Φ 1.0 TIG9-20-22-25;电极夹座 Φ 1.0 TIG9-20-22-25
IGF0008-16	13N27	Collet Body Φ 1.6 TIG9-20-22-25;电极夹座 Φ 1.6 TIG9-20-22-25
IGF0008-24	13N28	Collet Body Φ 2.4 TIG9-20-22-25;电极夹座 Φ 2.4 TIG9-20-22-25
IGF0008-32	13N29	Collet Body Φ 3.2 TIG9-20-22-25;电极夹座 Φ 3.2 TIG9-20-22-25
IGF0060-10	45V0204S	Extra large gas lens Φ 1.0 TIG9-20-22-25;加大气塞连接体 Φ 1.0 TIG9-20-22-25
IGF0060-16	45V116S	Extra large gas lens Φ 1.6 TIG9-20-22-25;加大气塞连接体 Φ 1.6 TIG9-20-22-25
IGF0060-24	45V64S	Extra large gas lens Φ 2.4 TIG9-20-22-25;加大气塞连接体 Φ 2.4 TIG9-20-22-25
IGF0060-32	995795S	Extra large gas lens Φ 3.2 TIG9-20-22-25;加大气塞连接体 Φ 3.2 TIG9-20-22-25
IGK0072	22-10	Insulator torch body TIG22;枪头绝缘帽 TIG22
IGK0073	54N63-22	Gas lens insulator TIG22;气塞连接体绝缘帽 TIG22
IGS0020	57N75	Alumina Cup gas lens XL GR6;加大gas lens用陶瓷喷嘴 GR6
IGS0026	57N74	Alumina Cup gas lens XL GR8;加大gas lens用陶瓷喷嘴 GR8
IGS0027	53N88	Alumina Cup gas lens XL GR10;加大gas lens用陶瓷喷嘴 GR10
IGS0028	53N87	Alumina Cup gas lens XL GR12;加大gas lens用陶瓷喷嘴 GR12
IGS0029	53N89	Alumina Cup gas lens XL short;加大gas lens用陶瓷喷嘴/短款
IGS0041	796F71	Alumina Cup GR4L TIG9-20-22-25;长陶瓷喷嘴 GR4L TIG9-20-22-25
IGS0042	796F72	Alumina Cup GR5L TIG9-20-22-25;长陶瓷喷嘴 GR5L TIG9-20-22-25
IGS0043	796F73	Alumina Cup GR6L TIG9-20-22-25;长陶瓷喷嘴 GR6L TIG9-20-22-25
IGS0045	796F70	Alumina Cup GR3L TIG9-20-22-25;长陶瓷喷嘴 GR3L TIG9-20-22-25
IGS0061	13N12	Alumina Cup GR8 TIG9-20-22-25;陶瓷喷嘴 GR8 TIG9-20-22-25
IGS0062	13N13	Alumina Cup GR10 TIG9-20-22-25;陶瓷喷嘴 GR10 TIG9-20-22-25
IGS0067	13N08	Alumina Cup GR4 TIG9-20-22-25;陶瓷喷嘴 GR4 TIG9-20-22-25
IGS0068	13N09	Alumina Cup GR5 TIG9-20-22-25;陶瓷喷嘴 GR5 TIG9-20-22-25
IGS0069	13N10	Alumina Cup GR6 TIG9-20-22-25;陶瓷喷嘴 GR6 TIG9-20-22-25
IGS0065	13N11	Alumina Cup GR7 TIG9-20-22-25;陶瓷喷嘴 GR7 TIG9-20-22-25
IGS0095	53N61S	Alumina Cup gas lens GR8 TIG22-24-24W;gas lens用陶瓷喷嘴 GR8 TIG22-24-24W
IGS0096	53N58	Alumina Cup gas lens GR4 TIG22-24-24W;gas lens用陶瓷喷嘴 GR4 TIG22-24-24W
IGS0097	53N59	Alumina Cup gas lens GR5 TIG22-24-24W;gas lens用陶瓷喷嘴 GR5 TIG22-24-24W
IGS0098	53N60	Alumina Cup gas lens GR6 TIG22-24-24W;gas lens用陶瓷喷嘴 GR6 TIG22-24-24W
IGS0099	53N61	Alumina Cup gas lens GR7 TIG22-24-24W;gas lens用陶瓷喷嘴 GR7 TIG22-24-24W
IGS0600	796F74	Alumina Cup GR3 XL TIG9-20-22-25;特长陶瓷喷嘴 GR3XL TIG9-20-22-25
IGS0606	796F75	Alumina Cup GR4 XL TIG9-20-22-25;特长陶瓷喷嘴 GR4XL TIG9-20-22-25
IGS0607	796F76	Alumina Cup GR5 XL TIG9-20-22-25;特长陶瓷喷嘴 GR5XL TIG9-20-22-25
IGS0608	796F79	Alumina Cup GR4XXL TIG9−20−25;陶瓷喷嘴 GR4XXL TIG9−20−25
IGS0609	796F77	Alumina Cup GR6 XL TIG9-20-22-25;特长陶瓷喷嘴 GR6XL TIG9-20-22-25
IGU0660-10	22N21AL	Collet Φ 1.0mm TIG22 7";电极夹 Φ 1.0mm/TIG22 7"
IGU0660-16	22N22AL	Collet Φ 1.6mm TIG22 7";电极夹 Φ 1.6mm/TIG22 7"
IGU0660-24	22N23AL	Collet Φ 2.4mm TIG22 7";电极夹 Φ 2.4mm/TIG22 7"
IGU0660-32	22N24AL	Collet Φ 3.2mm TIG22 7";电极夹 Φ 3.2mm/TIG22 7"
IGU0666-10	22N21A	Collet Φ 1.0 TIG22 3";电极夹 Φ 1.0 TIG22 3"
IGU0666-16	22N22A	Collet Φ 1.6 TIG22 3";电极夹 Φ 1.6 TIG22 3"
IGU0666-24	22N23A	Collet Φ 2.4 TIG22 3";电极夹 Φ 2.4 TIG22 3"
IGU0666-32	22N24A	Collet Φ 3.2 TIG22 3";电极夹 Φ 3.2 TIG22 3"
IGZ0980	WP-22A	7"long torch body;7"长枪体
IGZ0986	WP-22B	3"long torch body;3"长枪体
IHJ0677	22-7	Collet knob, includes O-ring;短柄帽带O型圈

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

CONSUMABLES TIG 27
易损件

EN 60974-7



Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

CONSUMABLES TIG 27
易损件

EN 60974-7

Code	Ref.	Description
IFT0699	181W89	O-ring;O型圈
IGF0068-10	49V22	Collet Body gas lens Φ 1.0 TIG27;气塞连接体 Φ 1.0 TIG27
IGF0068-16	49V23	Collet Body gas lens Φ 1.6 TIG27;气塞连接体 Φ 1.6 TIG27
IGF0068-24	49V24	Collet Body gas lens Φ 2.4 TIG27;气塞连接体 Φ 2.4 TIG27
IGF0068-32	49V25	Collet Body gas lens Φ 3.2 TIG27;气塞连接体 Φ 3.2 TIG27
IGF0068-40	49V26	Collet Body gas lens Φ 4.0 TIG27;气塞连接体 Φ 4.0 TIG27
IGF0068-48	49V27	Collet Body gas lens Φ 4.8 TIG27;气塞连接体 Φ 4.8 TIG27
IGF0068-64	49V28	Collet Body gas lens Φ 6.4 TIG27;气塞连接体 Φ 6.4 TIG27
IGI0990	WP-27B	Torch head TIG27 20" ;TIG枪头 TIG27 20"
IGI0996	WP-27A	Torch head TIG27 9" ;TIG枪头TIG27 9"
IGK0074	57N56	Gasket;垫圈
IGS0020	57N75	Alumina cup gas lens XL GR6;加大gas lens用陶瓷喷嘴 GR6
IGS0026	57N74	Alumina cup gas lens XL GR8;加大gas lens用陶瓷喷嘴 GR8
IGS0027	53N88	Alumina cup gas lens XL GR10;加大gas lens用陶瓷喷嘴 GR10
IGS0028	53N87	Alumina cup gas lens XL GR12;加大gas lens用陶瓷喷嘴 GR12
IGS0029	53N89	Alumina cup gas lens XL short;加大gas lens用陶瓷喷嘴/短款
IGU0060-10	57N45	Collet Φ 1.0 TIG27;电极夹 Φ 1.0 TIG27
IGU0060-16	57N46	Collet Φ 1.6 TIG27;电极夹 Φ 1.6 TIG27
IGU0060-24	57N47	Collet Φ 2.4 TIG27;电极夹 Φ 2.4 TIG27
IGU0060-32	57N48	Collet Φ 3.2 TIG27;电极夹 Φ 3.2 TIG27
IGU0060-40	57N49	Collet Φ 4.0 TIG27;电极夹 Φ 4.0 TIG27
IGU0060-48	57N50	Collet Φ 4.8 TIG27;电极夹 Φ 4.8 TIG27
IGU0060-64	57N51	Collet Φ 6.4 TIG27;电极夹 Φ 6.4 TIG27
IZF0050	45V11	Power cable adaptor;电缆适配器

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

AIR COOLING CABLES
气冷电缆组

EN 60974-7



3/8" 24 UNF TIG 9/17/24
5/8" 18 UNF TIG 26

Tig 9/17/24 - 2wires

Threading	L(m)	Code
M12x1	4	IGN0091
	8	IGN0092
3/8G	4	IGN0658
	8	IGN0659

Tig 26 - 2wires

Threading	L(m)	Code
M12x1	4	IGN0093
	8	IGN0094
3/8G	4	IGN0655
	8	IGN0651

Tig 9/17/24 - 4wires

Threading	L(m)	Code
M12x1	4	IGN0616
	8	IGN0617

Tig 26 - 4wires

Threading	L(m)	Code
M12x1	4	IGN0618
	8	IGN0619



3/8" 24 UNF TIG 9/17/24
5/8" 18 UNF TIG 26

Tig 9/17/24 - 2wires

Threading	L(m)	Code
M12x1	4	IGN6091
	8	IGN6092

Tig 26 - 2wires

Threading	L(m)	Code
M12x1	4	IGN6093
	8	IGN6094

Tig 9/17/24 - 4wires

Threading	L(m)	Code
M12x1	4	IGN6616
	8	IGN6617

Tig 26 - 4wires

Threading	L(m)	Code
M12x1	4	IGN6618
	8	IGN6619



3/8" 24 UNF TIG 9/17/24
5/8" 18 UNF TIG 26

Tig 9/17/24 - 4wires

Threading	L(m)	Code
M12x1	4	IGN7626
	8	IGN7627

Tig 26 - 4wires

Threading	L(m)	Code
M12x1	4	IGN7628
	8	IGN7629

Tig 9/17/24 - 6wires

Threading	L(m)	Code
M12x1	4	IGN7616
	8	IGN7617

Tig 26 - 6wires

Threading	L(m)	Code
M12x1	4	IGN7618
	8	IGN7619

Code	Ref.	Description	Pack
IGN0091	TH0046	Complete outer cover 4m M12x1/TIG9-17-24/2 control wires 电缆组/4m/M12x1/TIG9-17-24/二芯控制线	1
IGN0092	TH0047	Complete outer cover 8m M12x1/TIG9-17-24/2 control wires 电缆组/8m/M12x1/TIG9-17-24/二芯控制线	1
IGN0093	TH0048	Complete outer cover 4m M12x1/TIG26/2 control wires 电缆组/4m/M12x1/TIG26/二芯控制线	1
IGN0094	TH0049	Complete outer cover 8m M12x1/TIG26/2 control wires 电缆组/8m/M12x1/TIG26/二芯控制线	1
IGN0616	TH0161	Complete outer cover 4m M12x1/TIG9-17-24/4 control wires 电缆组/4m/M12x1/TIG9-17-24/四芯控制线	1
IGN0617	TH0162	Complete outer cover 8m M12x1/TIG9-17-24/4 control wires 电缆组/8m/M12x1/TIG9-17-24/四芯控制线	1
IGN0618	TH0163	Complete outer cover 4m M12x1/TIG26/4 control wires 电缆组/4m/M12x1/TIG26/四芯控制线	1
IGN0619	TH0164	Complete outer cover 8m M12x1/TIG26/4 control wires 电缆组/8m/M12x1/TIG26/四芯控制线	1
IGN0651	TH0156	Complete outer cover 8m 3/8G/TIG26/2 control wires 电缆组/8m/3/8G/TIG26/二芯控制线	1
IGN0655	TH0155	Complete outer cover 4m 3/8G/TIG26/2 control wires 电缆组/4m/3/8G/TIG26/二芯控制线	1
IGN0658	TH0153	Complete outer cover 4m 3/8G/TIG9-17/2 control wires 电缆组/4m/ 3/8G/TIG9-17/二芯控制线	1
IGN0659	TH0154	Complete outer cover 8m 3/8G/TIG9-17/2 control wires 电缆组/8m/ 3/8G/TIG9-17/二芯控制线	1
IGN6091	TH1046	Complete outer cover 4m M12x1/TIG9-17-24/2 control wires/leather tube 电缆组/4m/M12x1/TIG9-17-24/二芯控制线/皮护套	1
IGN6092	TH1047	Complete outer cover 8m M12x1/TIG9-17-24/2 control wires/leather tube 电缆组/8m/M12x1/TIG9-17-24/二芯控制线/皮护套	1
IGN6093	TH1048	Complete outer cover 4m M12x1/TIG26/2 control wires/leather tube 电缆组/4m/M12x1/TIG26/二芯控制线/皮护套	1
IGN6094	TH1049	Complete outer cover 8m M12x1/TIG26/2 control wires/leather tube 电缆组/8m/M12x1/TIG26/二芯控制线/皮护套	1
IGN6616	TH1161	Complete outer cover 4m M12x1/TIG9-17-24/4 control wires/leather tube 电缆组/4m/M12x1/TIG9-17-24/四芯控制线/皮护套	1
IGN6617	TH1162	Complete outer cover 8m M12x1/TIG9-17-24/4 control wires/leather tube 电缆组/8m/M12x1/TIG9-17-24/四芯控制线/皮护套	1
IGN6618	TH1163	Complete outer cover 4m M12x1/TIG26/4 control wires/leather tube 电缆组/4m/M12x1/TIG26/四芯控制线/皮护套	1
IGN6619	TH1164	Complete outer cover 8m M12x1/TIG26/4 control wires/leather tube 电缆组/8m/M12x1/TIG26/四芯控制线/皮护套	1
IGN7616	TH2161	Complete outer cover 4m M12x1/TIG9-17-24/6 control wires/leather tube/silicon 电缆组/4m/M12x1/TIG9-17-24/六芯控制线/皮护套/硅胶管	1
IGN7617	TH2162	Complete outer cover 8m M12x1/TIG9-17-24/6 control wires/leather tube/silicon 电缆组/8m/M12x1/TIG9-17-24/六芯控制线/皮护套/硅胶管	1
IGN7618	TH2163	Complete outer cover 4m M12x1/TIG26/6 control wires/leather tube/silicon 电缆组/4m/M12x1/TIG26/六芯控制线/皮护套/硅胶管	1
IGN7619	TH2164	Complete outer cover 8m M12x1/TIG26/6 control wires/leather tube/silicon 电缆组/8m/M12x1/TIG26/六芯控制线/皮护套/硅胶管	1
IGN7626	TH2171	Complete outer cover 4m M12x1/TIG9-17-24/2 control wires/leather tube/silicon 电缆组/4m/M12x1/TIG9-17-24/二芯控制线/皮护套/硅胶管	1
IGN7627	TH2172	Complete outer cover 8m M12x1/TIG9-17-24/2 control wires/leather tube/silicon 电缆组/8m/M12x1/TIG9-17-24/二芯控制线/皮护套/硅胶管	1
IGN7628	TH2173	Complete outer cover 4m M12x1/TIG26/2 control wires/leather tube/silicon 电缆组/4m/M12x1/TIG26/二芯控制线/皮护套/硅胶管	1
IGN7629	TH2174	Complete outer cover 8m M12x1/TIG26/2 control wires/leather tube/silicon 电缆组/8m/M12x1/TIG26/二芯控制线/皮护套/硅胶管	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

AIR COOLING CABLES
气冷电缆组

EN 60974-7

POWER CABLE



3/8 24 UNF TIG 9/17/24
5/8 18 UNF TIG 26

TIG 9/17/24

Threading	L(m)	Code
M12x1	4	IGN0005
	8	IGN0001
3/8G	4	IGN0694
	8	IGN0650

TIG 26

Threading	L(m)	Code
M12x1	4	IGN0002
	8	IGN0003
3/8G	4	IGN0656
	8	IGN0657



3/8 24 UNF TIG 9/17/24
5/8 18 UNF TIG 26

TIG 9/17/24

Threading	L(m)	Code
M12x1	4	IGN0005-01
	8	IGN0001-01

TIG 26

Threading	L(m)	Code
M12x1	4	IGN0002-01
	8	IGN0003-01

1 PIECE



TIG 9/17/24 - 3/8-24
TIG 26 - 5/8-18

TIG 9/17/24

L(m)	Code
4	IGN0011
8	IGN0012

TIG 9/17/24 - 3/8-24RH
TIG 26 - 7/8-14RH

TIG 26

L(m)	Code
4	IGN0676
8	IGN0090

2 PIECE



TIG 9/17/24 - 3/8-24
TIG 26 - 5/8-18

5/8-18RH

TIG 9/17/24

L(m)	Code
4	IGN0050
8	IGN0056

TIG 26

L(m)	Code
4	IGN0057
8	IGN0058



TIG 9/17/24 - 3/8-24
TIG 26 - 5/8-18

5/8-18RH

TIG 9/17/24

L(m)	Code
4	IGN0059
8	IGN0055

TIG 26

L(m)	Code
4	IGN0053
8	IGN0054

Code	Ref.	Description	Pack
IGN0001	TH0006	Power cable/gas 8m M12x1 TIG9-17-24 气电管 8m M12x1/TIG9-17-24	1
IGN0001-01	TH0006-01	Power cable/gas 8m M12x1 silicon TIG9-17-24 气电管 8m M12x1/TIG9-17-24/硅胶管	1
IGN0002	TH0007	Power cable/gas 4m M12x1 TIG26 气电管 4m M12x1/TIG26	1
IGN0002-01	TH0007-01	Power cable/gas 4m M12x1 silicon TIG26 气电管 4m M12x1/TIG26/硅胶管	1
IGN0003	TH0008	Power cable/gas 8m M12x1 TIG26 气电管 8m M12x1/TIG26	1
IGN0003-01	TH0008-01	Power cable/gas 8m M12x1 silicon TIG26 气电管 8m M12x1/TIG26/硅胶管	1
IGN0005	TH0005	Power cable/gas 4m M12x1 TIG9-17-24 气电管 4m M12x1/TIG9-17-24	1
IGN0005-01	TH0005-01	Power cable/gas 4m M12x1 silicon TIG9-17-24 气电管 4m M12x1/TIG9-17-24/硅胶管	1
IGN0011	TH0066	Power cable/gas 4m TIG9-17 USA 气电管 4m/TIG9-17/美式	1
IGN0012	TH0067	Power cable/gas 8m TIG9-17 USA 气电管 8m/TIG9-17/美式	1
IGN0050	TH0050	Power cable/gas 4m 2 pieces TIG9-17 USA 电缆组无外皮 4m/TIG9-17/美式分体	1
IGN0053	TH0058	Complete outer cover 4m TIG26 USA 电缆组 4m/TIG26/美式分体	1
IGN0054	TH0059	Complete outer cover 8m TIG26 USA 电缆组 8m/TIG26/美式分体	1
IGN0055	TH0055	Complete outer cover 8m TIG9-17-24 USA 电缆组 8m/TIG9-17-24/美式分体	1
IGN0056	TH0051	Power cable/gas 8m 2 pieces TIG9-17 USA 电缆组无外皮 8m/TIG9-17/美式分体	1
IGN0057	TH0052	Power cable/gas 4m 2 pieces TIG26 USA 电缆组无外皮 4m/TIG26/美式分体	1
IGN0058	TH0053	Power cable/gas 8m 2 pieces TIG26 USA 电缆组无外皮 8m/TIG26/美式分体	1
IGN0059	TH0054	Complete outer cover 4m TIG9-17-24 USA 电缆组 4m/TIG9-17-24/美式分体	1
IGN0090	TH0040	Power cable/gas 8m TIG26 USA 气电管 8m/TIG26/美式	1
IGN0650	TH0150	Power cable/gas 8m 3/8G TIG9-17 气电管 8m/3/8GTIG9-17	1
IGN0656	TH0151	Power cable/gas 4m 3/8G TIG26 气电管 4m/3/8GTIG26	1
IGN0657	TH0152	Power cable/gas 8m 3/8G TIG26 气电管 8m/3/8GTIG26	1
IGN0676	TH0121	Power cable/gas 4m TIG26 USA 气电管 4m/TIG26/美式	1
IGN0694	TH0149	Power cable/gas 4m 3/8G TIG9-17 气电管 4m/3/8GTIG9-17	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

WATER COOLING CABLES
水冷电缆组

EN 60974-7

COMPLETE CABLE



TIG 18 - 2 wiers

L(m)	Code
4	IGN0017
8	IGN0018

TIG 18 - 4 wiers

L(m)	Code
4	IGN0015
8	IGN0011



TIG 18 - 2 wiers

L(m)	Code
4	IGN7625
8	IGN7621

TIG 18 - 6 wiers

L(m)	Code
4	IGN7615
8	IGN7611



TIG 20/25/24W - 2 wiers

L(m)	Code
4	IGN0019
8	IGN0015

TIG 20/25/24W - 4 wiers

L(m)	Code
4	IGN6612
8	IGN6613



TIG 18 - 2 wiers

L(m)	Code
4	IGN7612
8	IGN7613

TIG 18 - 6 wiers

L(m)	Code
4	IGN7622
8	IGN7623

Code	Ref.	Description	Pack
IGN0015	TH0065	Complete outer cover 8m M12x1 TIG20/2 control wires 电缆组 8m M12x1/TIG20/二芯控制线	1
IGN0017	TH0062	Complete outer cover 4m M12x1 TIG18/2 control wires 电缆组 4m M12x1/TIG18/二芯控制线	1
IGN0018	TH0063	Complete outer cover 8m M12x1 TIG18/2 control wires 电缆组 8m M12x1/TIG18/二芯控制线	1
IGN0019	TH0064	Complete outer cover 4m M12x1 TIG20/2 control wires 电缆组 4m M12x1/TIG20/二芯控制线	1
IGN6611	TH1166	Complete outer cover 8m M12x1 TIG18/4 control wires/leather cover 电缆组 8m M12x1/TIG18/四芯控制线/皮护套	1
IGN6612	TH1167	Complete outer cover 4m M12x1 TIG 20/4 control wires/leather cover 电缆组 4m M12x1/TIG20/四芯控制线/皮护套	1
IGN6613	TH1168	Complete outer cover 8m M12x1 TIG 20/4 control wires/leather cover 电缆组 8m M12x1/TIG20/四芯控制线/皮护套	1
IGN6615	TH1165	Complete outer cover 4m M12x1 TIG18/4 control wires/leather cover 电缆组 4m M12x1/TIG18/四芯控制线/皮护套	1
IGN7611	TH2166	Complete outer cover 8m M12x1 TIG18/6 control wires/leather cover/silicon 电缆组 8m M12x1/TIG18/六芯控制线/皮护套/硅胶管	1
IGN7612	TH2167	Complete outer cover 4m M12x1 TIG20/6 control wires/leather cover/silicon 电缆组 4m M12x1/TIG20/六芯控制线/皮护套/硅胶管	1
IGN7613	TH2168	Complete outer cover 8m M12x1 TIG20/6 control wires/leather cover/silicon 电缆组 8m M12x1/TIG20/六芯控制线/皮护套/硅胶管	1
IGN7615	TH2165	Complete outer cover 4m M12x1 TIG18/6 control wires/leather cover/silicon 电缆组 4m M12x1/TIG18/六芯控制线/皮护套/硅胶管	1
IGN7621	TH2176	Complete outer cover 8m M12x1 TIG18/2 control wires/leather cover/silicon 电缆组 8m M12x1/TIG18/二芯控制线/皮护套/硅胶管	1
IGN7622	TH2177	Complete outer cover 4m M12x1 TIG20/2 control wires/leather cover/silicon 电缆组 4m M12x1/TIG20/二芯控制线/皮护套/硅胶管	1
IGN7623	TH2178	Complete outer cover 8m M12x1 TIG20/2 control wires/leather cover/silicon 电缆组 8m M12x1/TIG20/二芯控制线/皮护套/硅胶管	1
IGN7625	TH2175	Complete outer cover 4m M12x1 TIG18/2 control wires/leather cover/silicon 电缆组 4m M12x1/TIG18/二芯控制线/皮护套/硅胶管	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

CABLES
电缆

EN 60974-7

GAS CABLE



Threading	L(m)	Code
1/4G	4	IGN0041
	8	IGN0042



Threading	L(m)	Code
5/8-18	4	IGN0029
	8	IGN0029

WATER CABLE



Threading	L(m)	Code
3/8G	4	IGN0609
	8	IGN0605



Threading	L(m)	Code
5/8-18LH	4	IGN0020
	8	IGN0026



Threading	L(m)	Code
3/8G	4	IGN0601
	8	IGN0602



Threading	L(m)	Code
5/8-18LH	4	IGN0027
	8	IGN0028

POWER CABLE

3/8 24LH - TIG 18



1/4-28 - TIG 20/25/24W

TIG 18

Threading	L(m)	Code
M12x1	4	IGN0037
	8	IGN0038

TIG 20/25/24W

Threading	L(m)	Code
M12x1	4	IGN0031
	8	IGN0032

3/8 24LH - TIG 18



1/4-28 - TIG 20/25/24W


TIG 18

Threading	L(m)	Code
M12x1	4	IGN0037-01
	8	IGN0038-01

TIG 20/25/24W

Threading	L(m)	Code
M12x1	4	IGN0031-01
	8	IGN0032-01

3/8 24LH - TIG 18



1/4-28 - TIG 20/25/24W

TIG 18

Threading	L(m)	Code
7/8-14	4	IGN0083
	8	IGN0696

TIG 20/25/24W

Threading	L(m)	Code
7/8-14	4	IGN0672
	8	IGN0673


Code	Ref.	Description	Pack
IGN0020	TH0070	Water tube 4m TIG18 USA 水管 4m/TIG18/美式	1
IGN0025	TH0075	Gas tube 8m TIG18-20 USA 气管 8m/TIG18-20/美式	1
IGN0026	TH0071	Water tube 8m TIG18 USA 水管 8m/TIG18/美式	1
IGN0027	TH0072	Water tube 4m TIG20 USA 水管 4m/TIG20/美式	1
IGN0028	TH0073	Water tube 8m TIG20 USA 水管 8m/TIG20/美式	1
IGN0029	TH0074	Gas tube 4m TIG18-20 USA 气管 4m/TIG18-20/美式	1
IGN0031	TH0086	Power cable 4m M12x1 TIG20 水电缆 4m/M12x1/TIG20	1
IGN0031-01	TH0086-01	Power cable 4m M12x1 TIG20/silicon 水电缆 4m/M12x1/TIG20/硅胶管	1
IGN0032	TH0087	Power cable 8m M12x1 TIG20 水电缆 8m/M12x1/TIG20	1
IGN0032-01	TH0086-01	Power cable 8m M12x1 TIG20/silicon 水电缆 8m/M12x1/TIG20/硅胶管	1
IGN0037	TH0082	Power cable 4m M12x1 TIG18 水电缆 4m/M12x1/TIG18	1
IGN0037-01	TH0082-01	Power cable 4m M12x1 TIG18/silicon 水电缆 4m/M12x1/TIG18/硅胶管	1
IGN0038	TH0083	Power cable 8m M12x1 TIG18 水电缆 8m/M12x1/TIG18	1
IGN0038-01	TH0083-01	Power cable 8m M12x1 TIG18/silicon 水电缆 8m/M12x1/TIG18/硅胶管	1
IGN0041	TH0096	Gas tube 4m 1/4G 气管 4m 1/4G	1
IGN0042	TH0097	Gas tube 8m 1/4G 气管 8m 1/4G	1
IGN0083	TH0038	Power cable 4m TIG18 USA 水电管 4m/TIG18/美式	1
IGN0096	TH0041	Power cable 8m TIG18 USA 水电管 8m/TIG18/美式	1
IGN0601	TH0106	Water tube 4m 3/8G TIG20 水管 4m 3/8G/TIG20	1
IGN0602	TH0107	Water tube 8m 3/8G TIG20 水管 8m 3/8G/TIG20	1
IGN0605	TH0105	Water tube 8m 3/8G TIG18 水管 8m 3/8G/TIG18	1
IGN0609	TH0104	Water tube 4m 3/8G TIG18 水管 4m 3/8G/TIG18	1
IGN0672	TH0127	Power cable 4m TIG20 USA 水电管/4m/TIG20/美式	1
IGN0673	TH0128	Power cable 8m TIG20 USA 水电管/8m/TIG20/美式	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

PLUG & FITTINGS
接头

EN 60974-7

POWER FITTING



Code	Description	Pack
ITY0016	Cable 8mmq/9mm F M12x1 铜绞线接头 18mmq/9mm F M12x1	10
ITY0018	Cable 8mmq/9mm F M14x1.5 铜绞线接头 8mmq/9mm F M14x1.5	10
ITY0052	Cable 16mmq/9mm F M16x1.5 铜绞线接头 16mmq/9mm F M16x1.5	10
ITY0053	Cable 25mmq/10mm F M16x1.5 铜绞线接头 25mmq/10mm F M16x1.5	10
ITY0056	Cable 16mmq/9mm F M10x1 铜绞线接头 16mmq/9mm F M10x1	10
ITY3000	Braid; 铜绞线接头 TIG（水电，气电分离）	10
ITY8060	Cable TIG26 front/USA 2pcs 铜绞线接头 TIG26/前端美式/气电分离	10
ITY8061	Cable 25mmq/10mm F 3/8G 铜绞线接头 25mmq/10mm F 3/8G	10
ITY8064	Cable 4mmq/6mm F M12x1 铜绞线接头 4mmq/6mm F M12x1	10
ITY8065	Cable 16mmq/9mm F M 3/8G 铜绞线接头 16mmq/9mm F M3 /8G	10


Code	Description	Pack
ITY8070	Cable 4mmq/6mm F 3/8G TIG20 铜绞线接头 4mmq/6mm F 3/8G TIG20	10
ITY8075	Cable 7/8-14UNF LH TIG18 BACK(USA) 铜绞线接头 7/8-14UNF LH TIG18 后部(美式)	10
ITY8076	Cable 4mmq/6mm F 1/4-28UNF 铜绞线接头 4mmq/6mm F 1/4-28UNF	10
ITY8078	Cable 8mmq/9mm M 3/8-24UNF SX 铜绞线接头 8mmq/9mm M 3/8-24UNF SX	10
ITY8079	Cable 16mmq/9mm M 3/8-24UNF 铜绞线接头 16mmq/9mm M 3/8-24UNF	10
ITY8081	Cable 25mmq/10mm M 5/8-18UNF 铜绞线接头 25mmq/10mm M 5/8-18UNF	10
ITY8084	Cable TIG9/17 front (USA 2PCS) 铜绞线接头 TIG9/17 前端/美式/气电分离	10
ITY8085	Cable 7/8-14UNF LH TIG20 BACK(USA) 铜绞线接头 7/8-14UNF LH TIG20 后部(美式)	10
ITY8087	Cable 25mmq/10mm F M12x1 铜绞线接头 25mmq/10mm F M12x1	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

PLUG & FITTINGS
接头

EN 60974-7

GAS FITTINGS



5/8-18 R IZT9000
5/8-18 L IZT9006

1/4G IZT9001
M16×1.5 IZT9002
M10×1 IZT9008

5/8-18 IZT9003
3/8-24 IZT9004
3/8G IZT9005
M12×1 IZT9007
9/16-18 IZT9009


M12×1(M)/3/8G(F) IZT5601
M12×1(M)/5/8-18(F) IZT5602
M16×1.5(M)/M16×1.5(F) IZT5603
M12×1(M)/1/4G(F) IZT5605

Code	Ref.	Description	Pack
IZT9000	FA4000	Connector with hexagon nut 5/8-18UNF 接头带 5/8-18UNF/六角外螺母	10
IZT9001	FA4006	Connector with hexagon nut 1/4G 接头带 1/4G/六角内螺母	10
IZT9002	FA4007	Connector with hexagon nut M16x1.5 接头带 M16x1.5/六角内螺母	10
IZT9003	FA4008	Connector with hexagon nut 5/8-18UNF 接头带 5/8-18UNF/六角内螺母	10
IZT9004	FA4009	Connector with hexagon nut 3/8-24UNF 接头带 3/8-24UNF/六角内螺母	10
IZT9005	FA4005	Connector with hexagon nut 3/8G 接头带 3/8G/六角内螺母	10
IZT9006	FA4001	Connector with hexagon nut 5/8-18UNF LH 接头带 5/8-18UNF LH/六角外螺母	10
IZT9007	FA4002	Connector with hexagon nut M12x1 接头带 M12x1/六角内螺母	10
IZT9008	FA4003	Connector with hexagon nut M10x1 接头带 M10x1/六角内螺母	10
IZT9009	FA4004	Connector with hexagon nut 9/16-18 接头带 9/16-18/六角内螺母	10
IZT5601	FA5106	Connecing adaptor M12X1-3/8G 转换接头 M12X1-3/8G	
IZT5602	FA5107	Connecing adaptor M12x1 5/8-18UNF 转换接头 M12x1 5/8-18UNF	
IZT5603	FA5108	Connecing adaptor M16X1.5-M16X1.5 F 转换接头 M16X1.5-M16X1.5 F	
IZT5605	FA5105	Connecing adaptor M12x1 1/4G 转换接头 M12x1 1/4G	

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TORCH HANDLES
手柄

EN 60974-7





Code	Ref.	Description	Pack
IGV0683	TP0138	ERGOTIG Handle orange/Grey Grip; 尔高手柄 / 橙色 / 灰色防滑皮TIG	10
IGV0684	TP0139	ERGOTIG Handle Blue/Grip/new/without Logo; 手柄蓝色/黑色防滑皮/新/不带尔高TIGLogo	10
IGV0685	TP0135	ERGOTIG HANDLE GREY/GRIP/NEW; 手柄 灰色/黑色防滑皮/新尔高TIG	10
IGV0685-01	TP0135-01	ERGOTIG HANDLE GREY/GRIP/WITHOUT LOGO 尔高TIG手柄 灰色/黑色防滑皮/不带LOGO	10
IGV0697	TP0142	ERGOTIG HANDLE RED/GRIP/NEW/WITHOUT LOGO 尔高TIG手柄 红色/黑色防滑皮/新/不带LOGO	10
IHJ0552	BW0557	COVER FOR TIG HANDLE/FOUR TIG手柄开关盖/四开关卧式按钮开关盖/PA66.黑色	10
IHJ0556	BW0551	Dustproof pad 防尘垫	10
IHJ0557	BW0552	Cover for tig handle/single 手柄开关盖/单开关	10
IHJ0558	BW0553	Cover for tig handle/dual 手柄开关盖/双开关	10
IHJ0559	BW0554	Cover for tig handle/four 手柄开关盖/四开关	10
IHJ0582	BW0537	Push button for tig handle/single TIG手柄开关按钮/单开关	10
IHJ0583	BW0538	Push button for tig handle/dual TIG手柄开关按钮/双开关	10
IHJ0590	BW0540	Push button for tig handle/euro TIG手柄开关按钮/欧式	10
IHJ0591	BW0546	Grey wheel 灰色滚轮	10
IHJ0987	BW0432	SET FOR FOUR SWTICHES/GREY/WINN 四开关拨动键/灰色/WINN	10
IHJ0988	BW0433	SET FOR FOUR SWTICHES/GREY/RAL7030 四开关卧式按钮/硅胶/灰色/RAL7030	10
IHQ0210	BX0760	ASSEMBLY OF TIG SINGLE SWITCH/NEW TYPE 2011 TIG用单开关组件/新式2011	10
IHQ0213	BX0768	ASSEMBLY OF TIG DOAL SWITCH/NEW TYPE 2011 TIG用双开关组件/新式2011	10
IHQ0214	BX0769	ASSEMBLY OF TIG FOUR SWITCH/NEW TYPE 2011 TIG用四开关组件/新式2011	10
IHQ0215	BX0765	ASSEMBLY OF 5K SWITCH/HORIZONTAL/NEW TYPE 2011 5K卧式开关组件/新式2011	10
IHQ0216	BX0761	ASSEMBLY OF 5K SWITCH/NEW TYPE 2011 5K开关总成/新式2011	10
IHQ0217	BX0762	ASSEMBLY OF 47K SWITCH/NEW TYPE 2011 47K开关总成/新式2011	10
IHQ0218	BX0763	ASSEMBLY OF 5K SWITCH/HORIZONTAL/NEW TYPE 2011 5K卧式开关总成/新式2011	10
IHQ0219	BX0764	ASSEMBLY OF TIG SINGLE SWITCH/NEW TYPE 2011 TIG用单开关总成/新式2011	10
IHQ0220	BX0770	ASSEMBLY OF TIG DOAL SWITCH/NEW TYPE 2011 TIG用双开关总成/新式2011	10
IHQ0226	BX0771	ASSEMBLY OF TIG FOUR SWITCH/NEW TYPE 2011 TIG用四开关总成/新式2011	10
IHQ0227	BX0772	Assembly of 47k switch 47K卧式开关总成	10
IHQ0228	BX0773	Assembly of 10k switch 10K卧式开关总成	10
IHQ0230	BX0780	Assembly of 10k switch 10K卧式开关组件	10
IHQ0237	BX0782	Assembly of TIG four swtich/horizontal TIG用四开关/卧式按钮总成	10
IHQ0238	BX0783	Assembly of TIG four swtich/horizontal TIG用四开关组件/卧式	10
IHQ0762	BX0217	Female trigger wire connector/5 holes/TIG/black 5芯开关控制线接插件(母)11.5*9*5.4/TIG/黑色	10


Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TORCH HANDLES
手柄

EN 60974-7







Code	Ref.	Description	Pack
IFT0853	EA0358	Screw 3x8mm 螺丝3x8mm	100
IGV0005	TP0005	Handle TIG18-26 直筒手柄/TIG18-26	10
IGV0009	TP0004	Handle TIG9-17 直筒手柄/TIG9-17	10
IGV0005-01	TP0005-01	HANDLE RIBBED TIG 18-26/D22.3mm 直筒带棱手柄 TIG18-26/孔径 D22.3mm	10
IGV0009-01	TP0004-01	HANDLE RIBBED TIG 9-17/D15.1mm 直筒带棱手柄 TIG9-17/孔径 D15.1mm	10
IGV0040	TP0090	Ergotig handle/grey 尔高TIG手柄/灰色	10
IGV0046	TP0091	Ergotig handle/blue 尔高TIG手柄/蓝色	10
IGV0047	TP0092	Ergotig handle/red 尔高TIG手柄/红色	10
IGV0048	TP0093	Ergotig handle/black 尔高TIG手柄/黑色	10
IGV0680	TP0130	Ergotig handle/grey/black/grip 尔高TIG手柄/灰色/黑色/防滑皮	10
IGV0686	TP0131	ERGOTIG HANDLE GREY/BLUE 尔高TIG手柄 兰色/黑皮防滑皮	10
IGV0688	TP0133	ERGOTIG HANDLE BLACK/RED GRIP 尔高TIG手柄 黑色/红色防滑皮	10
IGV0689	TP0134	ERGOTIG HANDLE BLUE/YELLOW GRIP 尔高TIG手柄 蓝色/黄色防滑皮	10
IHJ0013	BW0068	TIG guns with the tail switch button TIG 长尾开关按键	10
IHJ0596	BW0541	PUSHBUTTON FOR TIG GRIP HANDLE/SINGLE/ORANGE/SOFT 开关软按钮/TIG防滑手柄/单开关/橙色/3代	10
IHJ0597	BW0542	PUSHBUTTON FOR TIG GRIP HANDLE/DOUBLE/ORANGE/SOFT 开关软按钮/TIG防滑手柄/双开关/橙色/3代	10
IHJ0598	BW0543	COVER FOR TIG GRIP HANDLE/FOUR 开关盖/TIG防滑手柄/四开关	10
IHJ0599	BW0544	COVER FOR TIG GRIP HANDLE/BLACK 开关盖/TIG防滑手柄/黑色	10
IHJ0801	BW0306	Doubletig switch Red TIG双开关按件/红色	10
IHJ0805	BW0305	Sintig switch Orange TIG单开关按件/橙色	10
IHJ0808	BW0303	Reduction for TIG9-17 适配环/TIG9-17	10
IHJ0860	BW0310	Small joint TIG9-17-20 小球节/TIG9-17-20	10
IHJ0866	BW0311	Big joint TIG18-26 大球节/TIG18-26	10
IHJ0867	BW0312	Small spring support for TIG9-17-20 小弹簧支撑/TIG9-17-20	10
IHJ0868	BW0313	Big spring support for TIG18-26 大弹簧支撑/TIG18-26	10
IHJ0893	BW0348	Small TIG joint TIG用球节套件/小	10
IHJ0894	BW0349	Big TIG joint TIG用球节套件/大	10
IHJ0980	BW0430	SET FOR DOUBLE SWTICHES/ORANGE/WINN 按键套件/双开关/橙色/WINN	10
IHJ0986	BW0431	SET FOR FOUR SWTICHES/ORANGE/WINN 按键套件/四开关/橙色/WINN	10
IHQ0006	BX0001	Microswitch TIG TIG用外绑式微动开关	10
IHQ0020	BX0070	Microswitch TIG 微动开关	10
IHQ0030	BX0080	Connector for SW1 连接件/配合SW1	10
IHQ0171	BX0626	Double switches with pcb TIG用双开关(含线路板)	10
IHQ0175	BX0625	Single switches with pcb TIG用单开关(含线路板)	10
IHQ0190	BX0640	Double switches with PCB/winn TIG用双开关（含线路线）/winn	10
IHQ0196	BX0641	Four switches with PCB/winn TIG用四开关（含线路线）/winn	10
IHQ0198	BX0643	Single switch with PCB/new version TIG用单开关（含线路线）/新式	10
IHQ0199	BX0644	Double switches with PCB/new version TIG用单开关（含线路线）/新式	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TORCH HEADS
枪头

RoHS ISO 9001:2015 CE EN 60974-7



IHJ0017



IHJ0016









310Amp

More water cooled system



410Amp

Type	Code	Ref.	Description	Pack
TIG 9	IGZ0004	WP-9	Torch Head TIG9 TIG9 枪头	1
	IGZ0060	WP-9F	Torch Head TIG9 Flex TIG9 柔性枪头	1
	IGZ0604	WP-9V	Torch Head With Valve TIG9 TIG9 枪头/带阀门	1
	IGZ0660	WP-9FV	Torch Head With Valve TIG9 Flex TIG9 柔性枪头/带阀门	1
	IGZ6000	WP-9P	Auto Torch Head TIG9 TIG9 自动枪头	1
TIG 17	IGZ0062	WP-17	Torch Head TIG17 TIG17 枪头	1
	IGZ0077	WP-17F	Torch Head TIG17 Flex TIG17 柔性枪头	1
	IGZ0662	WP-17V	Torch Head With Valve TIG17 TIG17 枪头/带阀门	1
	IGZ0663	WP-17FV	Torch Head With Valve TIG17 Flex TIG17 柔性阀门	1
	IGZ6007	WP-17P	Auto Torch Head TIG17 TIG17 自动枪头	1
TIG 18	IGI0063	WP-18	Torch HeadTIG18 TIG18 枪头	1
	IGI0064	WP-18V	Torch Head With Valve TIG18 TIG18 枪头/带阀门	1
	IGI0468	WP-18SC	Torch Head TIG18 HC TIG18 枪头/HC	1
	IGI0663	WP-18F	Torch Head TIG18 Flex TIG18 柔性枪头	1
	IGI0664	WP-18FV	Torch Head With Valve TIG18 Flex TIG18 柔性枪头/带阀门	1
	IGI6006	WP-18P	Auto Torch Head TIG18 TIG18 自动枪头	1
TIG 20	IGI0070	WP-20	Torch HeadTIG20 TIG20 枪头	1
	IGI0076	WP-20V	Torch Head With Valve TIG20 TIG20 枪头/带阀门	1
	IGI0467	WP-20SC	Torch Head TIG20 HC TIG20 枪头/HC	1
	IGI0770	WP-20F	Torch Head TIG20 Flex TIG20柔性枪头	1
	IGI6000	WP-20P	Auto Torch Head TIG20 TIG20 自动枪头	1
TIG 24	IGI0079	WP-24W	Torch Head TIG24W TIG24W 枪头	1
	IGI0779	WP-24WF	Torch Head TIG24 W Flex TIG24W 柔性枪头	1
	IGZ0079	WP-24	Torch Head TIG24 TIG24 枪头	1
	IGZ0779	WP-24F	Torch Head TIG24 Flex TIG24柔性枪头	1
TIG 25	IGI0075	WP-25	Torch Head TIG25 TIG25 枪头	1
TIG 26	IGZ0071	WP-26	Torch Head TIG26 TIG26 枪头	1
	IGZ0072	WP-26F	Torch Head TIG26 Flex TIG26 柔性枪头	1
	IGZ0671	WP-26V	Torch Head With Valve TIG26 TIG26 枪头/带阀门	1
	IGZ0672	WP-26FV	Torch Head With Valve TIG26 Flex TIG26 柔性枪头/带阀门	1
	IGZ6006	WP-26P	Auto Torch Head TIG26 TIG26 自动枪头	1
	IHJ0016	VS-2	Valve TIG9/17 阀门 TIG9/17	1
	IHJ0017	VS-1	Valve TIG26 阀门 TIG26	1

TUNGSTEN ELECTRODES
钨棒

RoHS ISO 9001:2015 CE EN 60974-7



Code	Description	Pack
IGB0006-10	Pure tungsten Φ 1.0x150mm Green;纯钨 Φ 1.0x150mm/绿色	10
IGB0006-16	Pure tungsten Φ 1.6x150mm Green;纯钨 Φ 1.6x150mm/绿色	10
IGB0006-20	Pure tungsten Φ 2.0x150mm Green;纯钨 Φ 2.0x150mm/绿色	10
IGB0006-24	Pure tungsten Φ 2.4x150mm Green;纯钨 Φ 2.4x150mm/绿色	10
IGB0006-30	Pure tungsten Φ 3.0x150mm Green;纯钨 Φ 3.0x150mm/绿色	10
IGB0006-32	Pure tungsten Φ 3.2x150mm Green;纯钨 Φ 3.2x150mm/绿色	10
IGB0006-40	Pure tungsten Φ 4.0x150mm Green;纯钨 Φ 4.0x150mm/绿色	10
IGB0006-48	Pure tungsten Φ 4.8x150mm Green;纯钨 Φ 4.8x150mm/绿色	10
IGB0007-10	Pure tungsten Φ 1.0x175mm Green;纯钨 Φ 1.0x175mm/绿色	10
IGB0007-16	Pure tungsten Φ 1.6x175mm Green;纯钨 Φ 1.6x175mm/绿色	10
IGB0007-20	Pure tungsten Φ 2.0x175mm Green;纯钨 Φ 2.0x175mm/绿色	10
IGB0007-24	Pure tungsten Φ 2.4x175mm Green;纯钨 Φ 2.4x175mm/绿色	10
IGB0007-30	Pure tungsten Φ 3.0x175mm Green;纯钨 Φ 3.0x175mm/绿色	10
IGB0007-32	Pure tungsten Φ 3.2x175mm Green;纯钨 Φ 3.2x175mm/绿色	10
IGB0007-40	Pure tungsten Φ 4.0x175mm Green;纯钨 Φ 4.0x175mm/绿色	10
IGB0007-48	Pure tungsten Φ 4.8x175mm Green;纯钨 Φ 4.8x175mm/绿色	10
IGB0007-64	Pure tungsten Φ 6.4x175mm Green;纯钨 Φ 6.4x175mm/绿色	10
IGB0008-10	Tungsten Th WT20 Φ 1.0x150mm Red;钍钨 WT20 Φ 1.0x150mm/红色	10
IGB0008-16	Tungsten Th WT20 Φ 1.6x150mm Red;钍钨 WT20 Φ 1.6x150mm/红色	10
IGB0008-20	Tungsten Th WT20 Φ 2.0x150mm Red;钍钨 WT20 Φ 2.0x150mm/红色	10
IGB0008-24	Tungsten Th WT20 Φ 2.4x150mm Red;钍钨 WT20 Φ 2.4x150mm/红色	10
IGB0008-30	Tungsten Th WT20 Φ 3.0x150mm Red;钍钨 WT20 Φ 3.0x150mm/红色	10
IGB0008-32	Tungsten Th WT20 Φ 3.2x150mm Red;钍钨 WT20 Φ 3.2x150mm/红色	10
IGB0008-40	Tungsten Th WT20 Φ 4.0x150mm Red;钍钨 WT20 Φ 4.0x150mm/红色	10
IGB0008-48	Tungsten Th WT20 Φ 4.8x150mm Red;钍钨 WT20 Φ 4.8x150mm/红色	10
IGB0009-10	Tungsten Th WT20 Φ 1.0x175mm Red;钍钨 WT20 Φ 1.0x175mm/红色	10
IGB0009-16	Tungsten Th WT20 Φ 1.6x175mm Red;钍钨 WT20 Φ 1.6x175mm/红色	10
IGB0009-20	Tungsten Th WT20 Φ 2.0x175mm Red;钍钨 WT20 Φ 2.0x175mm/红色	10
IGB0009-24	Tungsten Th WT20 Φ 2.4x175mm Red;钍钨 WT20 Φ 2.4x175mm/红色	10
IGB0009-30	Tungsten Th WT20 Φ 3.0x175mm Red;钍钨 WT20 Φ 3.0x175mm/红色	10
IGB0009-32	Tungsten Th WT20 Φ 3.2x175mm Red;钍钨 WT20 Φ 3.2x175mm/红色	10
IGB0009-40	Tungsten Th WT20 Φ 4.0x175mm Red;钍钨 WT20 Φ 4.0x175mm/红色	10
IGB0009-48	Tungsten Th WT20 Φ 4.8x175mm Red;钍钨 WT20 Φ 4.8x175mm/红色	10
IGB0009-64	Tungsten Th WT20 Φ 6.4x175mm Red;钍钨 WT20 Φ 6.4x175mm/红色	10
IGB0005-10	Tungsten Th WT20 Φ 1.0x178mm Red;钍钨 WT20 Φ 1.0x178mm/红色	10
IGB0005-16	Tungsten Th WT20 Φ 1.6x178mm Red;钍钨 WT20 Φ 1.6x178mm/红色	10
IGB0005-20	Tungsten Th WT20 Φ 2.0x178mm Red;钍钨 WT20 Φ 2.0x178mm/红色	10
IGB0005-24	Tungsten Th WT20 Φ 2.4x178mm Red;钍钨 WT20 Φ 2.4x178mm/红色	10
IGB0005-30	Tungsten Th WT20 Φ 3.0x178mm Red;钍钨 WT20 Φ 3.0x178mm/红色	10
IGB0005-32	Tungsten Th WT20 Φ 3.2x178mm Red;钍钨 WT20 Φ 3.2x178mm/红色	10
IGB0005-40	Tungsten Th WT20 Φ 4.0x178mm Red;钍钨 WT20 Φ 4.0x178mm/红色	10
IGB0005-48	Tungsten Th WT20 Φ 4.8x178mm Red;钍钨 WT20 Φ 4.8x178mm/红色	10
IGB0005-64	Tungsten Th WT20 Φ 6.4x178mm Red;钍钨 WT20 Φ 6.4x178mm/红色	10
IGB0002-10	Tungsten Ce WC20 Φ 1.0x150mm Grey;铈钨 WC20 Φ 1.0x150mm/灰色	10
IGB0002-16	Tungsten Ce WC20 Φ 1.6x150mm Grey;铈钨 WC20 Φ 1.6x150mm/灰色	10
IGB0002-20	Tungsten Ce WC20 Φ 2.0x150mm Grey;铈钨 WC20 Φ 2.0x150mm/灰色	10
IGB0002-24	Tungsten Ce WC20 Φ 2.4x150mm Grey;铈钨 WC20 Φ 2.4x150mm/灰色	10
IGB0002-30	Tungsten Ce WC20 Φ 3.0x150mm Grey;铈钨 WC20 Φ 3.0x150mm/灰色	10
IGB0002-32	Tungsten Ce WC20 Φ 3.2x150mm Grey;铈钨 WC20 Φ 3.2x150mm/灰色	10
IGB0002-40	Tungsten Ce WC20 Φ 4.0x150mm Grey;铈钨 WC20 Φ 4.0x150mm/灰色	10
IGB0002-48	Tungsten Ce WC20 Φ 4.8x150mm Grey;铈钨 WC20 Φ 4.8x150mm/灰色	10
IGB0002-64	Tungsten Ce WC20 Φ 6.4x150mm Grey;铈钨 WC20 Φ 6.4x150mm/灰色	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）

TUNGSTEN ELECTRODES
钨棒

EN 60974-7

Code	Description	Pack
IGB0003-10	Tungsten Ce WC20 Φ 1.0x175mm Grey;铈钨 WC20 Φ1.0x175mm/灰色	10
IGB0003-16	Tungsten Ce WC20 Φ 1.6x175mm Grey;铈钨 WC20 Φ1.6x175mm/灰色	10
IGB0003-20	Tungsten Ce WC20 Φ 2.0x175mm Grey;铈钨 WC20 Φ2.0x175mm/灰色	10
IGB0003-24	Tungsten Ce WC20 Φ 2.4x175mm Grey;铈钨 WC20 Φ2.4x175mm/灰色	10
IGB0003-30	Tungsten Ce WC20 Φ 3.0x175mm Grey;铈钨 WC20 Φ3.0x175mm/灰色	10
IGB0003-32	Tungsten Ce WC20 Φ 3.2x175mm Grey;铈钨 WC20 Φ3.2x175mm/灰色	10
IGB0003-40	Tungsten Ce WC20 Φ 4.0x175mm Grey;铈钨 WC20 Φ4.0x175mm/灰色	10
IGB0003-48	Tungsten Ce WC20 Φ 4.8x175mm Grey;铈钨 WC20 Φ4.8x175mm/灰色	10
IGB0003-64	Tungsten Ce WC20 Φ 6.4x175mm Grey;铈钨 WC20 Φ6.4x175mm/灰色	10
IGB0001-10	Tungsten Zr WZ8 Φ 1.0x175mm White;锆钨 WZ8 Φ 1.0x175mm/白色	10
IGB0001-16	Tungsten Zr WZ8 Φ 1.6x175mm White;锆钨 WZ8 Φ 1.6x175mm/白色	10
IGB0001-24	Tungsten Zr WZ8 Φ 2.4x175mm White;锆钨 WZ8 Φ 2.4x175mm/白色	10
IGB0001-32	Tungsten Zr WZ8 Φ 3.2x175mm White;锆钨 WZ8 Φ 3.2x175mm/白色	10
IGB0001-40	Tungsten Zr WZ8 Φ 4.0x175mm White;锆钨 WZ8 Φ 4.0x175mm/白色	10
IGB0001-48	Tungsten Zr WZ8 Φ 4.8x175mm White;锆钨 WZ8 Φ 4.8x175mm/白色	10
IGB0001-64	Tungsten Zr WZ8 Φ 6.4x175mm White;锆钨 WZ8 Φ 6.4x175mm/白色	10
IGB0004-10	Tungsten Th WT10 Φ 1.0x150mm Yellow;钍钨 WT10 Φ 1.0x150mm/黄色	10
IGB0004-16	Tungsten Th WT10 Φ 1.6x150mm Yellow;钍钨 WT10 Φ 1.6x150mm/黄色	10
IGB0004-20	Tungsten Th WT10 Φ 2.0x150mm Yellow;钍钨 WT10 Φ 2.0x150mm/黄色	10
IGB0004-24	Tungsten Th WT10 Φ 2.4x150mm Yellow;钍钨 WT10 Φ 2.4x150mm/黄色	10
IGB0004-30	Tungsten Th WT10 Φ 3.0x150mm Yellow;钍钨 WT10 Φ 3.0x150mm/黄色	10
IGB0004-32	Tungsten Th WT10 Φ 3.2x150mm Yellow;钍钨 WT10 Φ 3.2x150mm/黄色	10
IGB0004-40	Tungsten Th WT10 Φ 4.0x150mm Yellow;钍钨 WT10 Φ 4.0x150mm/黄色	10
IGB0004-48	Tungsten Th WT10 Φ 4.8x150mm Yellow;钍钨 WT10 Φ 4.8x150mm/黄色	10
		10
IGB0060-10	Tungsten Th WT10 Φ 1.0x175mm Yellow;钍钨 WT10 Φ 1.0x175mm/黄色	10
IGB0060-16	Tungsten Th WT10 Φ 1.6x175mm Yellow;钍钨 WT10 Φ 1.6x175mm/黄色	10
IGB0060-20	Tungsten Th WT10 Φ 2.0x175mm Yellow;钍钨 WT10 Φ 2.0x175mm/黄色	10
IGB0060-24	Tungsten Th WT10 Φ 2.4x175mm Yellow;钍钨 WT10 Φ 2.4x175mm/黄色	10
IGB0060-30	Tungsten Th WT10 Φ 3.0x175mm Yellow;钍钨 WT10 Φ 3.0x175mm/黄色	10
IGB0060-32	Tungsten Th WT10 Φ 3.2x175mm Yellow;钍钨 WT10 Φ 3.2x175mm/黄色	10
IGB0060-40	Tungsten Th WT10 Φ 4.0x175mm Yellow;钍钨 WT10 Φ 4.0x175mm/黄色	10
IGB0060-48	Tungsten Th WT10 Φ 4.8x175mm Yellow;钍钨 WT10 Φ 4.8x175mm/黄色	10
IGB0066-05	Tungsten Th WT10 Φ 0.5x75mm Yellow;钍钨 WT10 Φ 0.5x75mm/黄色	10
IGB0067-10	Tungsten Th WT40 Φ 1.0x175mm Orange;钍钨 WT40 Φ 1.0x175mm/橙色	10
IGB0067-16	Tungsten Th WT40 Φ 1.6x175mm Orange;钍钨 WT40 Φ 1.6x175mm/橙色	10
IGB0067-20	Tungsten Th WT40 Φ 2.0x175mm Orange;钍钨 WT40 Φ 2.0x175mm/橙色	10
IGB0067-24	Tungsten Th WT40 Φ 2.4x175mm Orange;钍钨 WT40 Φ 2.4x175mm/橙色	10
IGB0067-30	Tungsten Th WT40 Φ 3.0x175mm Orange;钍钨 WT40 Φ 3.0x175mm/橙色	10
IGB0067-32	Tungsten Th WT40 Φ 3.2x175mm Orange;钍钨 WT40 Φ 3.2x175mm/橙色	10
IGB0067-40	Tungsten Th WT40 Φ 4.0x175mm Orange;钍钨 WT40 Φ 4.0x175mm/橙色	10
IGB0067-48	Tungsten Th WT40 Φ 4.8x175mm Orange;钍钨 WT40 Φ 4.8x175mm/橙色	10
IGB0068-10	Tungsten La WL15 Φ 1.0x150mm Gold;镧钨 WL15 Φ 1.0x150mm/金色	10
IGB0068-16	Tungsten La WL15 Φ 1.6x150mm Gold;镧钨 WL15 Φ 1.6x150mm/金色	10
IGB0068-20	Tungsten La WL15 Φ 2.0x150mm Gold;镧钨 WL15 Φ 2.0x150mm/金色	10
IGB0068-24	Tungsten La WL15 Φ 2.4x150mm Gold;镧钨 WL15 Φ 2.4x150mm/金色	10
IGB0068-32	Tungsten La WL15 Φ 3.2x150mm Gold;镧钨 WL15 Φ 3.2x150mm/金色	10
IGB0068-40	Tungsten La WL15 Φ 4.0x150mm Gold;镧钨 WL15 Φ 4.0x150mm/金色	10
IGB0068-48	Tungsten La WL15 Φ 4.8x150mm Gold;镧钨 WL15 Φ 4.8x150mm/金色	10
IGB0069-10	Tungsten La WL15 Φ 1.0x175mm Gold;镧钨 WL15 Φ 1.0x175mm/金色	10
IGB0069-16	Tungsten La WL15 Φ 1.6x175mm Gold;镧钨 WL15 Φ 1.6x175mm/金色	10
IGB0069-20	Tungsten La WL15 Φ 2.0x175mm Gold;镧钨 WL15 Φ 2.0x175mm/金色	10
IGB0069-24	Tungsten La WL15 Φ 2.4x175mm Gold;镧钨 WL15 Φ 2.4x175mm/金色	10
IGB0069-32	Tungsten La WL15 Φ 3.2x175mm Gold;镧钨 WL15 Φ 3.2x175mm/金色	10
IGB0069-40	Tungsten La WL15 Φ 4.0x175mm Gold;镧钨 WL15 Φ 4.0x175mm/金色	10
IGB0069-48	Tungsten La WL15 Φ 4.8x175mm Gold;镧钨 WL15 Φ 4.8x175mm/金色	10

Code	Description	Pack
IGB0065-10	Tungsten La WL20 Φ 1.0x175mm Blue;镧钨 WL20 Φ 1.0x175mm/蓝色	10
IGB0065-16	Tungsten La WL20 Φ 1.6x175mm Blue;镧钨 WL20 Φ 1.6x175mm/蓝色	10
IGB0065-20	Tungsten La WL20 Φ 2.0x175mm Blue;镧钨 WL20 Φ 2.0x175mm/蓝色	10
IGB0065-24	Tungsten La WL20 Φ 2.4x175mm Blue;镧钨 WL20 Φ 2.4x175mm/蓝色	10
IGB0065-32	Tungsten La WL20 Φ 3.2x175mm Blue;镧钨 WL20 Φ 3.2x175mm/蓝色	10
IGB0065-40	Tungsten La WL20 Φ 4.0x175mm Blue;镧钨 WL20 Φ 4.0x175mm/蓝色	10
IGB0065-48	Tungsten La WL20 Φ 4.8x175mm Blue;镧钨 WL20 Φ 4.8x175mm/蓝色	10
IGB0065-64	Tungsten La WL20 Φ 6.4x175mm Blue;镧钨 WL20 Φ 6.4x175mm/蓝色	10
IGB0061-10	Tungsten La WL20 Φ 1.0x150mm Blue;镧钨 WI20 Φ 1.0x150mm/蓝色	10
IGB0061-16	Tungsten La WL20 Φ 1.6x150mm Blue;镧钨 WL20 Φ 1.6x150mm/蓝色	10
IGB0061-20	Tungsten La WL20 Φ 2.0x150mm Blue;镧钨 WL20 Φ 2.0x150mm/蓝色	10
IGB0061-24	Tungsten La WL20 Φ 2.4x150mm Blue;镧钨 WL20 Φ 2.4x150mm/蓝色	10
IGB0061-32	Tungsten La WL20 Φ 3.2x150mm Blue;镧钨 WL20 Φ 3.2x150mm/蓝色	10
IGB0061-40	Tungsten La WL20 Φ 4.0x150mm Blue;镧钨 WL20 Φ 4.0x150mm/蓝色	10
IGB0061-48	Tungsten La WL20 Φ 4.8x150mm Blue;镧钨 WL20 Φ 4.8x150mm/蓝色	10
IGB0061-64	Tungsten La WL20 Φ 6.4x150mm Blue;镧钨 WL20 Φ 6.4x150mm/蓝色	10
IGB0062-10	Tungsten La WL10 Φ 1.0x175mm Black;镧钨 WL10 Φ 1.0x175mm/黑色	10
IGB0062-16	Tungsten La WL10 Φ 1.6x175mm Black;镧钨 WL10 Φ 1.6x175mm/黑色	10
IGB0062-24	Tungsten La WL10 Φ 2.4x175mm Black;镧钨 WL10 Φ 2.4x175mm/黑色	10
IGB0062-32	Tungsten La WL10 Φ 3.2x175mm Black;镧钨 WL10 Φ 3.2x175mm/黑色	10
IGB0062-40	Tungsten La WL10 Φ 4.0x175mm Black;镧钨 WL10 Φ 4.0x175mm/黑色	10
IGB0062-48	Tungsten La WL10 Φ 4.8x175mm Black;镧钨 WL10 Φ 4.8x175mm/黑色	10
IGB0062-64	Tungsten La WL10 Φ 6.4x175mm Black;镧钨 WL10 Φ 6.4x175mm/黑色	10
IGB0062-80	Tungsten La WL10 Φ 8.0x175mm Black;镧钨 WL10 Φ 8.0x175mm/黑色	10
IGB0063-80	Tungsten La WL10 Φ 8.0x85mm Black;镧钨 WL10 Φ 8.0x85mm/黑色	10
IGB0064-16	Tungsten La WL10 Φ 1.6x150mm Black;镧钨 WL10 Φ 1.6x150mm/黑色	10
IGB0064-24	Tungsten La WL10 Φ 2.4x150mm Black;镧钨 WL10 Φ 2.4x150mm/黑色	10
IGB0064-32	Tungsten La WL10 Φ 3.2x150mm Black;镧钨 WL10 Φ 3.2x150mm/黑色	10
IGB0070-10	Tungsten WR2 Φ 1.0x175mm Emerald;镧钨 WR2 Φ 1.0x175mm/翠绿色	10
IGB0070-16	Tungsten WR2 Φ 1.6x175mm Emerald;镧钨 WR2 Φ 1.6x175mm/翠绿色	10
IGB0070-24	Tungsten WR2 Φ 2.4x175mm Emerald;镧钨 WR2 Φ 2.4x175mm/翠绿色	10
IGB0070-32	Tungsten WR2 Φ 3.2x175mm Emerald;镧钨 WR2 Φ 3.2x175mm/翠绿色	10
IGB0070-40	Tungsten WR2 Φ 4.0x175mm Emerald;镧钨 WR2 Φ 4.0x175mm/翠绿色	10
IGB0070-48	Tungsten WR2 Φ 4.8x175mm Emerald;镧钨 WR2 Φ 4.8x175mm/翠绿色	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解，请见封面内页（公司简介）